

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037624.D
 Acq On : 09 Apr 2020 17:38
 Operator : JC/MD
 Sample : L1885-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Apr 10 03:14:45 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 03:10:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	573528	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	538112	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	256216	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	223412	44.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.12%
7) Chloroethane-d5	1.93	69	187669	46.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.64%
11) 1,1-Dichloroethene-d2	2.59	63	286811	35.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.20%
21) 2-Butanone-d5	4.66	46	393511	96.87	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.87%
24) Chloroform-d	5.10	84	359073	47.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.32%
26) 1,2-Dichloroethane-d4	5.74	65	251261	49.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.18%
32) Benzene-d6	5.76	84	779720	49.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.50%
36) 1,2-Dichloropropane-d6	6.72	67	263544	50.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.02%
41) Toluene-d8	7.92	98	709546	48.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.68%
43) trans-1,3-Dichloropropene-	8.20	79	134692	47.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.56%
47) 2-Hexanone-d5	8.65	63	284692	94.36	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.36%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	359931	48.35	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.70%
64) 1,2-Dichlorobenzene-d4	12.20	152	257036	48.21	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.42%


Target Compounds					Ovalue
13) Acetone	2.66	43	14876	6.201 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037624.D
Acq On : 09 Apr 2020 17:38
Operator : JC/MD
Sample : L1885-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Apr 10 03:14:45 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 03:10:48 2020
Response via : Initial Calibration





#13

Acetone

Concen: 6.201 ug/L

RT: 2.66 min Scan# 409

Delta R.T. 0.00 min

Lab File: VU037624.D

Acq: 09 Apr 2020 17:38

Instrument :
MSVOA_U
ClientSampleId :

Tot Ion: 43 Resp: 14876

Ion Ratio Lower Upper

43 100

58 32.1 0.0 63.2

