

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037666.D
 Acq On : 10 Apr 2020 12:38
 Operator : JC/MD
 Sample : L2189-03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Apr 10 23:30:22 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 23:26:55 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	509920	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	482261	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	232040	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	173956	39.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	78.04%
7) Chloroethane-d5	1.93	69	155725	43.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.46%
11) 1,1-Dichloroethene-d2	2.59	63	235423	32.41	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.82%
21) 2-Butanone-d5	4.66	46	379931	105.19	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.19%
24) Chloroform-d	5.10	84	321930	48.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.12%
26) 1,2-Dichloroethane-d4	5.74	65	229113	50.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.68%
32) Benzene-d6	5.76	84	678279	47.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.62%
36) 1,2-Dichloropropane-d6	6.72	67	230962	48.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.80%
41) Toluene-d8	7.92	98	611619	46.49	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.98%
43) trans-1,3-Dichloropropene-	8.20	79	118650	46.47	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.94%
47) 2-Hexanone-d5	8.65	63	270360	99.99	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.99%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	327054	49.02	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.04%
64) 1,2-Dichlorobenzene-d4	12.20	152	224599	46.51	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.02%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037666.D
Acq On : 10 Apr 2020 12:38
Operator : JC/MD
Sample : L2189-03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Apr 10 23:30:22 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 23:26:55 2020
Response via : Initial Calibration

