

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037630.D
 Acq On : 09 Apr 2020 19:54
 Operator : JC/MD
 Sample : L1885-04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ET9

Quant Time: Apr 10 05:35:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 03:10:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	533807	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	506082	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	243667	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	207352	44.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.88%
7) Chloroethane-d5	1.93	69	178957	47.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.90%
11) 1,1-Dichloroethene-d2	2.59	63	268943	35.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.74%
21) 2-Butanone-d5	4.66	46	400243	105.86	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.86%
24) Chloroform-d	5.10	84	339884	48.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.94%
26) 1,2-Dichloroethane-d4	5.74	65	240419	50.46	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.92%
32) Benzene-d6	5.76	84	742093	49.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.68%
36) 1,2-Dichloropropane-d6	6.72	67	250449	50.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.06%
41) Toluene-d8	7.92	98	674643	48.87	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.74%
43) trans-1,3-Dichloropropene-	8.20	79	131099	48.93	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.86%
47) 2-Hexanone-d5	8.65	63	295282	104.06	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.06%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	350501	50.07	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.14%
64) 1,2-Dichlorobenzene-d4	12.20	152	245731	48.46	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.92%

Target Compounds					Ovalue
13) Acetone	2.66	43	8332	3.731 ug/L	99
46) Tetrachloroethene	8.57	164	196281	69.582 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037630.D
Acq On : 09 Apr 2020 19:54
Operator : JC/MD
Sample : L1885-04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0ET9

Quant Time: Apr 10 05:35:37 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 03:10:48 2020
Response via : Initial Calibration

