

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037648.D
 Acq On : 10 Apr 2020 03:47
 Operator : JC/MD
 Sample : L2212-08
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ES5

Quant Time: Apr 10 06:44:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 06:05:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	515478	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	484027	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	232815	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	186002	41.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	82.56%
7) Chloroethane-d5	1.93	69	164279	45.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.22%
11) 1,1-Dichloroethene-d2	2.59	63	246300	33.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.08%
21) 2-Butanone-d5	4.66	46	392858	107.60	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.60%
24) Chloroform-d	5.10	84	325576	48.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.16%
26) 1,2-Dichloroethane-d4	5.74	65	231961	50.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.84%
32) Benzene-d6	5.76	84	697923	49.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.02%
36) 1,2-Dichloropropane-d6	6.72	67	238416	50.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.60%
41) Toluene-d8	7.92	98	633708	48.00	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.00%
43) trans-1,3-Dichloropropene-	8.20	79	118543	46.26	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.52%
47) 2-Hexanone-d5	8.65	63	275653	101.57	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.57%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	335621	50.13	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.26%
64) 1,2-Dichlorobenzene-d4	12.20	152	231117	47.70	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.40%

Target Compounds					Ovalue
13) Acetone	2.65	43	7868	3.649 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037648.D
Acq On : 10 Apr 2020 03:47
Operator : JC/MD
Sample : L2212-08
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0ES5

Quant Time: Apr 10 06:44:01 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 06:05:13 2020
Response via : Initial Calibration

