

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037660.D
 Acq On : 10 Apr 2020 09:28
 Operator : JC/MD
 Sample : VU0409MBL01
 Misc : 5.0µ/5.0mL/100µL/10mL/MSVOA_U/MEOH
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK52

Quant Time: Apr 10 23:53:17 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 23:26:55 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	513788	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	487423	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	235440	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	190150	42.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.68%
7) Chloroethane-d5	1.93	69	158393	43.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.28%
11) 1,1-Dichloroethene-d2	2.59	63	241625	33.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.02%
21) 2-Butanone-d5	4.66	46	358459	98.50	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	98.50%
24) Chloroform-d	5.10	84	298104	44.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.32%
26) 1,2-Dichloroethane-d4	5.74	65	213406	46.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.08%
32) Benzene-d6	5.76	84	648951	45.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.50%
36) 1,2-Dichloropropane-d6	6.72	67	219941	46.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.16%
41) Toluene-d8	7.92	98	585832	44.06	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.12%
43) trans-1,3-Dichloropropene-	8.20	79	113010	43.80	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.60%
47) 2-Hexanone-d5	8.65	63	262340	95.99	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.99%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	307707	45.64	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.28%
64) 1,2-Dichlorobenzene-d4	12.20	152	216382	44.16	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.32%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037660.D
Acq On : 10 Apr 2020 09:28
Operator : JC/MD
Sample : VU0409MBL01
Misc : 5.0µ/5.0mL/100µL/10mL/MSVOA_U/MEOH
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK52

Quant Time: Apr 10 23:53:17 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 23:26:55 2020
Response via : Initial Calibration

