

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037625.D
 Acq On : 09 Apr 2020 18:00
 Operator : JC/MD
 Sample : L1885-16
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0EY2

Quant Time: Apr 10 05:22:14 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 03:10:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	569100	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	537439	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	258148	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	222484	44.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.44%
7) Chloroethane-d5	1.93	69	189433	47.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.24%
11) 1,1-Dichloroethene-d2	2.59	63	290110	35.78	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.56%
21) 2-Butanone-d5	4.66	46	407928	101.20	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.20%
24) Chloroform-d	5.10	84	355799	47.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.18%
26) 1,2-Dichloroethane-d4	5.74	65	254020	50.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.02%
32) Benzene-d6	5.76	84	789700	49.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.88%
36) 1,2-Dichloropropane-d6	6.72	67	269180	51.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.28%
41) Toluene-d8	7.92	98	720201	49.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.26%
43) trans-1,3-Dichloropropene-	8.20	79	137321	48.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.54%
47) 2-Hexanone-d5	8.65	63	296814	98.50	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.50%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	366049	49.24	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.48%
64) 1,2-Dichlorobenzene-d4	12.20	152	259670	48.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.68%


Target Compounds					Ovalue
13) Acetone	2.66	43	12430	5.221 ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037625.D
Acq On : 09 Apr 2020 18:00
Operator : JC/MD
Sample : L1885-16
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0EY2

Quant Time: Apr 10 05:22:14 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 03:10:48 2020
Response via : Initial Calibration





#13

Acetone

Concen: 5.221 ug/L

RT: 2.66 min Scan# 410

Delta R.T. 0.00 min

Lab File: VU037625.D

Acq: 09 Apr 2020 18:00

Instrument :

MSVOA_U

ClientSampleId :

C0EY2

Tot Ion: 43 Resp: 12430

Ion Ratio Lower Upper

43 100

58 35.2 0.0 63.2

