

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037628.D
 Acq On : 09 Apr 2020 19:08
 Operator : JC/MD
 Sample : L1885-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ES7

Quant Time: Apr 10 05:31:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 03:10:48 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	539142	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	507035	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	248472	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	210181	44.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.20%
7) Chloroethane-d5	1.93	69	183322	48.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.26%
11) 1,1-Dichloroethene-d2	2.59	63	273090	35.56	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	71.12%
21) 2-Butanone-d5	4.66	46	400248	104.81	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.81%
24) Chloroform-d	5.10	84	343455	48.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.98%
26) 1,2-Dichloroethane-d4	5.74	65	243644	50.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.28%
32) Benzene-d6	5.76	84	751390	50.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.74%
36) 1,2-Dichloropropane-d6	6.72	67	253801	51.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.22%
41) Toluene-d8	7.92	98	682250	49.33	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.66%
43) trans-1,3-Dichloropropene-	8.20	79	130871	48.76	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.52%
47) 2-Hexanone-d5	8.65	63	301283	105.98	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.98%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	354017	50.47	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.94%
64) 1,2-Dichlorobenzene-d4	12.20	152	248530	48.06	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.12%


Target Compounds					Ovalue
13) Acetone	2.66	43	5818	2.580 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037628.D
Acq On : 09 Apr 2020 19:08
Operator : JC/MD
Sample : L1885-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0ES7

Quant Time: Apr 10 05:31:09 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 03:10:48 2020
Response via : Initial Calibration





#13

Acetone

Concen: 2.580 ug/L

RT: 2.66 min Scan# 409

Delta R.T. 0.00 min

Lab File: VU037628.D

Acq: 09 Apr 2020 19:08

Instrument :

MSVOA_U

ClientSampleId :

C0ES7

Tot Ion: 43 Resp: 5818

Ion Ratio Lower Upper

43 100

58 35.7 0.0 63.2

