

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037642.D
 Acq On : 10 Apr 2020 01:31
 Operator : JC/MD
 Sample : L2212-01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ER6

Quant Time: Apr 10 06:19:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 06:05:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	520777	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	487910	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	233986	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	189604	41.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.30%
7) Chloroethane-d5	1.93	69	168577	45.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.64%
11) 1,1-Dichloroethene-d2	2.59	63	252924	34.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.18%
21) 2-Butanone-d5	4.66	46	384962	104.36	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.36%
24) Chloroform-d	5.10	84	329473	48.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.32%
26) 1,2-Dichloroethane-d4	5.74	65	233103	50.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.30%
32) Benzene-d6	5.76	84	710288	49.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.96%
36) 1,2-Dichloropropane-d6	6.72	67	237358	49.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.36%
41) Toluene-d8	7.92	98	636239	47.81	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.62%
43) trans-1,3-Dichloropropene-	8.20	79	122362	47.37	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.74%
47) 2-Hexanone-d5	8.65	63	277315	101.37	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	101.37%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	337670	50.03	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.06%
64) 1,2-Dichlorobenzene-d4	12.20	152	234218	48.10	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.20%


Target Compounds					Ovalue
13) Acetone	2.66	43	6066	2.785 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037642.D
Acq On : 10 Apr 2020 01:31
Operator : JC/MD
Sample : L2212-01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0ER6

Quant Time: Apr 10 06:19:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 06:05:13 2020
Response via : Initial Calibration





#13

Acetone

Concen: 2.785 ug/L

RT: 2.66 min Scan# 409

Delta R.T. 0.00 min

Lab File: VU037642.D

Acq: 10 Apr 2020 01:31

Instrument :
MSVOA_U
ClientSampleId :
C0ER6

Tot Ion: 43 Resp: 6066

Ion Ratio Lower Upper

43 100

58 33.3 0.0 63.2

