

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037644.D
 Acq On : 10 Apr 2020 02:16
 Operator : JC/MD
 Sample : L2212-04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ES1

Quant Time: Apr 10 06:30:49 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 06:05:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	507072	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	483121	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	227878	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	190380	42.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.90%
7) Chloroethane-d5	1.93	69	168319	46.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.98%
11) 1,1-Dichloroethene-d2	2.59	63	251778	34.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.70%
21) 2-Butanone-d5	4.66	46	390332	108.68	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.68%
24) Chloroform-d	5.10	84	329124	49.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.82%
26) 1,2-Dichloroethane-d4	5.74	65	232003	51.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.54%
32) Benzene-d6	5.76	84	707835	49.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.60%
36) 1,2-Dichloropropane-d6	6.72	67	239577	50.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.28%
41) Toluene-d8	7.92	98	639921	48.56	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.12%
43) trans-1,3-Dichloropropene-	8.20	79	121057	47.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.66%
47) 2-Hexanone-d5	8.65	63	284227	104.93	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	104.93%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	340833	51.00	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.00%
64) 1,2-Dichlorobenzene-d4	12.20	152	233848	49.31	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.62%


Target Compounds					Ovalue
13) Acetone	2.66	43	7191	3.390 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037644.D
Acq On : 10 Apr 2020 02:16
Operator : JC/MD
Sample : L2212-04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0ES1

Quant Time: Apr 10 06:30:49 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 06:05:13 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 3.390 ug/L
 RT: 2.66 min Scan# 409
 Delta R.T. 0.00 min
 Lab File: VU037644.D
 Acq: 10 Apr 2020 02:16

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ES1

Tot Ion: 43 Resp: 7191
 Ion Ratio Lower Upper
 43 100
 58 29.7 0.0 63.2

