

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037647.D
 Acq On : 10 Apr 2020 03:25
 Operator : JC/MD
 Sample : L2212-07
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ES4

Quant Time: Apr 10 06:42:38 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 06:05:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	513347	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	485412	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	231169	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	189101	42.14	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.28%
7) Chloroethane-d5	1.93	69	163954	45.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.42%
11) 1,1-Dichloroethene-d2	2.59	63	249297	34.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.18%
21) 2-Butanone-d5	4.66	46	393433	108.21	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.21%
24) Chloroform-d	5.10	84	329016	48.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.58%
26) 1,2-Dichloroethane-d4	5.74	65	232057	50.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.30%
32) Benzene-d6	5.76	84	709530	49.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.36%
36) 1,2-Dichloropropane-d6	6.72	67	240564	50.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.22%
41) Toluene-d8	7.92	98	638122	48.19	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.38%
43) trans-1,3-Dichloropropene-	8.20	79	121272	47.19	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.38%
47) 2-Hexanone-d5	8.65	63	281841	103.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	103.56%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	333998	49.74	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.48%
64) 1,2-Dichlorobenzene-d4	12.20	152	232411	48.31	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.62%


Target Compounds					Ovalue
13) Acetone	2.66	43	7541	3.512 ug/L	100




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037647.D
Acq On : 10 Apr 2020 03:25
Operator : JC/MD
Sample : L2212-07
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0ES4

Quant Time: Apr 10 06:42:38 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 06:05:13 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.512 ug/L

RT: 2.66 min Scan# 409

Delta R.T. 0.00 min

Lab File: VU037647.D

Acq: 10 Apr 2020 03:25

Instrument :

MSVOA_U

ClientSampleId :

C0ES4

Tot Ion: 43 Resp: 7541

Ion Ratio Lower Upper

43 100

58 31.8 0.0 63.2

