

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037650.D
 Acq On : 10 Apr 2020 04:33
 Operator : JC/MD
 Sample : L2212-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ES9

Quant Time: Apr 10 06:46:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 06:05:13 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	512214	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	481278	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	228404	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	188806	42.17	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.34%
7) Chloroethane-d5	1.93	69	166686	46.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.12%
11) 1,1-Dichloroethene-d2	2.59	63	251349	34.45	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.90%
21) 2-Butanone-d5	4.66	46	409209	112.79	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	112.79%
24) Chloroform-d	5.10	84	337321	50.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.26%
26) 1,2-Dichloroethane-d4	5.74	65	237041	51.85	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.70%
32) Benzene-d6	5.76	84	713730	50.41	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.82%
36) 1,2-Dichloropropane-d6	6.72	67	240969	51.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	102.26%
41) Toluene-d8	7.92	98	643875	49.05	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.10%
43) trans-1,3-Dichloropropene-	8.20	79	121806	47.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.62%
47) 2-Hexanone-d5	8.65	63	287752	106.64	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.64%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	340299	51.11	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.22%
64) 1,2-Dichlorobenzene-d4	12.20	152	235518	49.55	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.10%


Target Compounds					Ovalue
13) Acetone	2.66	43	8010	3.738 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037650.D
Acq On : 10 Apr 2020 04:33
Operator : JC/MD
Sample : L2212-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0ES9

Quant Time: Apr 10 06:46:51 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 06:05:13 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.738 ug/L

RT: 2.66 min Scan# 409

Delta R.T. 0.00 min

Lab File: VU037650.D

Acq: 10 Apr 2020 04:33

Instrument :
MSVOA_U
ClientSampleId :
C0ES9

Tot Ion: 43 Resp: 8010

Ion Ratio Lower Upper

43 100

58 31.7 0.0 63.2

