

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037673.D
 Acq On : 10 Apr 2020 15:17
 Operator : JC/MD
 Sample : L2189-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Apr 11 01:28:45 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 23:26:55 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	505569	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	480850	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	230157	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	188642	42.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.36%
7) Chloroethane-d5	1.93	69	159474	44.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.30%
11) 1,1-Dichloroethene-d2	2.59	63	242131	33.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.24%
21) 2-Butanone-d5	4.66	46	360614	100.70	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.70%
24) Chloroform-d	5.11	84	306350	46.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.24%
26) 1,2-Dichloroethane-d4	5.74	65	219618	48.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.34%
32) Benzene-d6	5.76	84	661060	46.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.46%
36) 1,2-Dichloropropane-d6	6.72	67	224901	47.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.52%
41) Toluene-d8	7.92	98	594694	45.34	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.68%
43) trans-1,3-Dichloropropene-	8.20	79	114666	45.05	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.10%
47) 2-Hexanone-d5	8.65	63	265186	98.36	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.36%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	313325	47.10	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.20%
64) 1,2-Dichlorobenzene-d4	12.20	152	220075	45.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.90%


Target Compounds					Ovalue
13) Acetone	2.66	43	3781	1.788 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037673.D
Acq On : 10 Apr 2020 15:17
Operator : JC/MD
Sample : L2189-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Apr 11 01:28:45 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 23:26:55 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.788 ug/L
 RT: 2.66 min Scan# 409
 Delta R.T. 0.00 min
 Lab File: VU037673.D
 Acq: 10 Apr 2020 15:17

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Tot Ion: 43 Resp: 3781
 Ion Ratio Lower Upper
 43 100
 58 31.4 0.0 63.2

