

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037674.D
 Acq On : 10 Apr 2020 15:39
 Operator : JC/MD
 Sample : L1885-17
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Apr 11 01:32:24 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 10 23:26:55 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	497048	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	473856	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	227582	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	188189	43.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.62%
7) Chloroethane-d5	1.93	69	157053	44.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.44%
11) 1,1-Dichloroethene-d2	2.59	63	238775	33.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.44%
21) 2-Butanone-d5	4.66	46	359287	102.05	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	102.05%
24) Chloroform-d	5.10	84	306765	46.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.96%
26) 1,2-Dichloroethane-d4	5.74	65	221317	49.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.78%
32) Benzene-d6	5.76	84	657781	47.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.36%
36) 1,2-Dichloropropane-d6	6.72	67	225784	48.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.32%
41) Toluene-d8	7.92	98	593515	45.92	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.84%
43) trans-1,3-Dichloropropene-	8.20	79	114541	45.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.32%
47) 2-Hexanone-d5	8.65	63	262396	98.76	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.76%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	311191	47.47	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.94%
64) 1,2-Dichlorobenzene-d4	12.20	152	217679	45.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.92%


Target Compounds					Ovalue
13) Acetone	2.66	43	4313	2.074 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037674.D
Acq On : 10 Apr 2020 15:39
Operator : JC/MD
Sample : L1885-17
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Apr 11 01:32:24 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 10 23:26:55 2020
Response via : Initial Calibration





#13

Acetone

Concen: 2.074 ug/L

RT: 2.66 min Scan# 409

Delta R.T. 0.00 min

Lab File: VU037674.D

Acq: 10 Apr 2020 15:39

Instrument :

MSVOA_U

ClientSampleId :

VHBLK01

Tot Ion: 43 Resp: 4313

Ion Ratio Lower Upper

43 100

58 32.1 0.0 63.2

