

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037643.D
 Acq On : 10 Apr 2020 01:54
 Operator : JC/MD
 Sample : L2212-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ER7

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.613	78	85	94	rBV	298420	310445	14.27%	1.816%
2	1.932	176	184	197	rVB	236458	304411	13.99%	1.780%
3	2.591	378	389	404	rBV	416569	681748	31.34%	3.987%
4	3.182	571	573	576	rBV3	538	411	0.02%	0.002%
5	3.417	644	646	649	rVB3	630	377	0.02%	0.002%
6	3.436	649	652	653	rBV3	633	385	0.02%	0.002%
7	3.703	733	735	737	rBV3	268	119	0.01%	0.001%
8	3.835	770	776	778	rBV4	768	797	0.04%	0.005%
9	3.922	799	803	808	rBV3	703	636	0.03%	0.004%
10	4.150	871	874	876	rBV3	469	284	0.01%	0.002%
11	4.176	881	882	885	rBV2	439	258	0.01%	0.002%
12	4.250	901	905	909	rBV4	682	682	0.03%	0.004%
13	4.324	926	928	934	rBV4	444	393	0.02%	0.002%
14	4.665	1019	1034	1061	rBV	272934	639544	29.40%	3.740%
15	4.983	1130	1133	1136	rBV3	553	421	0.02%	0.002%
16	5.021	1142	1145	1146	rBV3	551	291	0.01%	0.002%
17	5.102	1152	1170	1190	rBV	375212	816544	37.54%	4.775%
18	5.221	1204	1207	1212	rVB6	835	594	0.03%	0.003%
19	5.298	1229	1231	1232	rBV	392	166	0.01%	0.001%
20	5.449	1274	1278	1280	rBV2	355	276	0.01%	0.002%
21	5.517	1296	1299	1304	rVB4	583	521	0.02%	0.003%
22	5.549	1304	1309	1310	rBV2	589	439	0.02%	0.003%
23	5.591	1318	1322	1324	rBV3	643	429	0.02%	0.003%
24	5.761	1351	1375	1395	rBV2	826760	2175322	100.00%	12.722%
25	5.986	1441	1445	1449	rBV5	1021	1054	0.05%	0.006%
26	6.282	1523	1537	1558	rVB	665576	1251623	57.54%	7.320%
27	6.504	1604	1606	1607	rBV	556	242	0.01%	0.001%
28	6.558	1613	1623	1635	rBV9	7247	15199	0.70%	0.089%
29	6.626	1642	1644	1647	rVB3	505	218	0.01%	0.001%
30	6.722	1659	1674	1694	rBV	526086	1005390	46.22%	5.880%
31	6.992	1754	1758	1763	rVB5	1120	1102	0.05%	0.006%
32	7.025	1763	1768	1769	rBV3	621	463	0.02%	0.003%
33	7.079	1783	1785	1786	rBV	296	111	0.01%	0.001%
34	7.099	1789	1791	1794	rBV3	413	243	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037643.D
 Acq On : 10 Apr 2020 01:54
 Operator : JC/MD
 Sample : L2212-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ER7

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Title : VOC Analysis

35	7.205	1815	1824	1825	rBV6	2811	3375	0.16%	0.020%
36	7.253	1836	1839	1843	rBV4	734	706	0.03%	0.004%
37	7.369	1872	1875	1877	rBV2	605	429	0.02%	0.003%
38	7.436	1890	1896	1898	rBV3	986	846	0.04%	0.005%
39	7.542	1926	1929	1930	rBV2	510	262	0.01%	0.002%
40	7.591	1931	1944	1962	rVV	320040	551696	25.36%	3.226%
41	7.787	2002	2005	2008	rBV4	713	555	0.03%	0.003%
42	7.861	2025	2028	2030	rBV	560	366	0.02%	0.002%
43	7.922	2033	2047	2064	rBV	1035367	1763432	81.07%	10.313%
44	8.140	2110	2115	2117	rBV3	575	513	0.02%	0.003%
45	8.201	2122	2134	2149	rVV	229947	380018	17.47%	2.222%
46	8.417	2199	2201	2202	rBV	336	171	0.01%	0.001%
47	8.462	2212	2215	2216	rBV2	734	392	0.02%	0.002%
48	8.568	2243	2248	2259	rVB5	3022	4052	0.19%	0.024%
49	8.655	2262	2275	2306	rBV	846481	1477487	67.92%	8.641%
50	8.912	2353	2355	2356	rBV2	456	228	0.01%	0.001%
51	8.989	2375	2379	2380	rBV2	463	335	0.02%	0.002%
52	9.044	2393	2396	2399	rBV3	570	475	0.02%	0.003%
53	9.295	2468	2474	2477	rBV4	774	804	0.04%	0.005%
54	9.311	2477	2479	2481	rVB	247	117	0.01%	0.001%
55	9.365	2493	2496	2497	rBV	489	257	0.01%	0.002%
56	9.436	2504	2518	2542	rBV	938706	1528588	70.27%	8.939%
57	9.565	2554	2558	2560	rBV3	607	460	0.02%	0.003%
58	9.748	2612	2615	2617	rBV2	569	360	0.02%	0.002%
59	9.809	2632	2634	2636	rBV3	407	236	0.01%	0.001%
60	9.960	2677	2681	2684	rVB3	634	502	0.02%	0.003%
61	9.976	2684	2686	2688	rBV2	436	223	0.01%	0.001%
62	10.005	2691	2695	2698	rVV3	565	475	0.02%	0.003%
63	10.086	2716	2720	2722	rVB4	391	183	0.01%	0.001%
64	10.102	2722	2725	2726	rBV3	281	168	0.01%	0.001%
65	10.166	2744	2745	2747	rVB2	384	129	0.01%	0.001%
66	10.198	2753	2755	2762	rBV4	616	459	0.02%	0.003%
67	10.365	2802	2807	2810	rBV4	561	663	0.03%	0.004%
68	10.439	2828	2830	2831	rBV2	373	161	0.01%	0.001%
69	10.549	2861	2864	2865	rBV	392	183	0.01%	0.001%
70	10.578	2870	2873	2874	rBV	195	108	0.00%	0.001%
71	10.584	2874	2875	2876	rBV	408	155	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU040920\
 Data File : VU037643.D
 Acq On : 10 Apr 2020 01:54
 Operator : JC/MD
 Sample : L2212-02
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0ER7

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
 Title : VOC Analysis

72	10.648	2893	2895	2899	rVB2	618	394	0.02%	0.002%
73	10.668	2899	2901	2904	rBV4	437	303	0.01%	0.002%
74	10.770	2921	2933	2949	rBV	681987	1089839	50.10%	6.374%
75	10.983	2998	2999	3002	rBV2	376	226	0.01%	0.001%
76	11.034	3014	3015	3016	rBV2	425	138	0.01%	0.001%
77	11.079	3026	3029	3031	rBV2	907	536	0.02%	0.003%
78	11.150	3047	3051	3054	rBV2	647	604	0.03%	0.004%
79	11.201	3065	3067	3069	rBV2	530	274	0.01%	0.002%
80	11.240	3075	3079	3081	rBV2	352	315	0.01%	0.002%
81	11.397	3126	3128	3130	rBV	440	247	0.01%	0.001%
82	11.478	3149	3153	3154	rBV2	861	621	0.03%	0.004%
83	11.539	3170	3172	3175	rVB	615	256	0.01%	0.001%
84	11.561	3176	3179	3183	rBV3	1170	1018	0.05%	0.006%
85	11.684	3215	3217	3219	rBV2	687	429	0.02%	0.003%
86	11.758	3236	3240	3244	rBV3	1799	1694	0.08%	0.010%
87	11.825	3248	3261	3279	rVB	969470	1502352	69.06%	8.786%
88	12.044	3325	3329	3330	rBV2	466	375	0.02%	0.002%
89	12.079	3330	3340	3357	rVV2	10638	18927	0.87%	0.111%
90	12.204	3367	3379	3395	rVB	969996	1547982	71.16%	9.053%
91	12.690	3528	3530	3532	rBV2	430	196	0.01%	0.001%
92	12.790	3558	3561	3562	rBV3	976	581	0.03%	0.003%
93	12.886	3589	3591	3596	rBV4	1118	948	0.04%	0.006%
94	13.581	3804	3807	3808	rBV2	772	456	0.02%	0.003%


Sum of corrected areas: 17099418

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU040920\
Data File : VU037643.D
Acq On : 10 Apr 2020 01:54
Operator : JC/MD
Sample : L2212-02
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0ER7

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU040920\
Data File : VU037643.D
Acq On : 10 Apr 2020 01:54
Operator : JC/MD
Sample : L2212-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0ER7

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU040920\
Data File : VU037643.D
Acq On : 10 Apr 2020 01:54
Operator : JC/MD
Sample : L2212-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0ER7

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040920WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc