

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\
 Data File : VU030939.D
 Acq On : 09 Apr 2019 07:03
 Operator : JC/SP
 Sample : K2286-01
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEZD9

Quant Time: Apr 09 08:28:47 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Apr 09 07:55:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	224320	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	233189	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	87201	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	89165	5.20	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	104.00%
7) Chloroethane-d5	1.68	69	78858	5.71	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	114.20%
11) 1,1-Dichloroethene-d2	2.27	63	141927	4.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	80.80%
20) 2-Butanone-d5	4.19	46	275027	62.26	ug/L	-0.03
Spiked Amount	50.000	Range	40 - 130	Recovery	=	124.52%
24) Chloroform-d	4.64	84	153123	5.26	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.20%
26) 1,2-Dichloroethane-d4	5.31	65	99413	6.44	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	128.80%
32) Benzene-d6	5.33	84	314676	5.07	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.40%
36) 1,2-Dichloropropane-d6	6.33	67	108711	5.28	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	105.60%
41) Toluene-d8	7.56	98	247554	4.52	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.40%
43) trans-1,3-Dichloropropene-	7.85	79	33118	4.33	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.60%
46) 2-Hexanone-d5	8.31	63	172759	51.94	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.88%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	85939	5.83	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	116.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	86195	5.91	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	118.20%

Target Compounds					Ovalue
29) 1,1,1-Trichloroethane	4.91	97	4665	0.157 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\
Data File : VU030939.D
Acq On : 09 Apr 2019 07:03
Operator : JC/SP
Sample : K2286-01
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEZD9

Quant Time: Apr 09 08:28:47 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Apr 09 07:55:38 2019
Response via : Initial Calibration

