

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\  
 Data File : VU030941.D  
 Acq On : 09 Apr 2019 07:51  
 Operator : JC/SP  
 Sample : K2286-03  
 Misc : 25.0mL/MSVOA U/WATER  
 ALS Vial : 34 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 BEZE1

Quant Time: Apr 09 08:35:54 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR032919WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Tue Apr 09 08:28:51 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.88  | 114  | 223900   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 9.09  | 117  | 229797   | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.48 | 152  | 90114    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |          |
|--------------------------------|--------|-------|----------|----------|------|----------|
| 4) Vinyl Chloride-d3           | 1.40   | 65    | 90587    | 5.29     | ug/L | 0.00     |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 105.80%  |
| 7) Chloroethane-d5             | 1.68   | 69    | 80631    | 5.84     | ug/L | 0.00     |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 116.80%  |
| 11) 1,1-Dichloroethene-d2      | 2.27   | 63    | 143894   | 4.11     | ug/L | 0.00     |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 82.20%   |
| 20) 2-Butanone-d5              | 4.19   | 46    | 282671   | 64.11    | ug/L | -0.03    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 128.22%  |
| 24) Chloroform-d               | 4.64   | 84    | 155289   | 5.35     | ug/L | 0.00     |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 107.00%  |
| 26) 1,2-Dichloroethane-d4      | 5.31   | 65    | 95076    | 6.17     | ug/L | 0.00     |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 123.40%  |
| 32) Benzene-d6                 | 5.33   | 84    | 312489   | 5.11     | ug/L | 0.00     |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 102.20%  |
| 36) 1,2-Dichloropropane-d6     | 6.33   | 67    | 109156   | 5.38     | ug/L | 0.00     |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 107.60%  |
| 41) Toluene-d8                 | 7.56   | 98    | 242390   | 4.49     | ug/L | 0.00     |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 89.80%   |
| 43) trans-1,3-Dichloropropene- | 7.85   | 79    | 34413    | 4.57     | ug/L | 0.00     |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 91.40%   |
| 46) 2-Hexanone-d5              | 8.31   | 63    | 178555   | 54.48    | ug/L | 0.00     |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 108.96%  |
| 57) 1,1,2,2-Tetrachloroethane- | 10.43  | 84    | 90727    | 6.24     | ug/L | 0.00     |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 124.80%# |
| 64) 1,2-Dichlorobenzene-d4     | 11.86  | 152   | 87037    | 5.77     | ug/L | 0.00     |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 115.40%  |

| Target Compounds |      |    |       | Ovalue     |
|------------------|------|----|-------|------------|
| 13) Acetone      | 2.32 | 43 | 7084m | 2.078 ug/L |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU041019\  
Data File : VU030941.D  
Acq On : 09 Apr 2019 07:51  
Operator : JC/SP  
Sample : K2286-03  
Misc : 25.0mL/MSVOA U/WATER  
ALS Vial : 34 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
BEZE1

Quant Time: Apr 09 08:35:54 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR032919WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Tue Apr 09 08:28:51 2019  
Response via : Initial Calibration

