

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\
 Data File : VU030953.D
 Acq On : 09 Apr 2019 13:18
 Operator : JC/SP
 Sample : K2286-13
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEZF1

Quant Time: Apr 10 02:33:57 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Apr 10 01:53:07 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	214982	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	234480	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	88933	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	88704	5.40	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	108.00%
7) Chloroethane-d5	1.68	69	81288	6.14	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	122.80%
11) 1,1-Dichloroethene-d2	2.27	63	138098	4.11	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	82.20%
20) 2-Butanone-d5	4.19	46	278638	65.82	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	131.64%#
24) Chloroform-d	4.64	84	141696	5.08	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.60%
26) 1,2-Dichloroethane-d4	5.31	65	94812	6.41	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	128.20%
32) Benzene-d6	5.33	84	294161	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.40%
36) 1,2-Dichloropropane-d6	6.32	67	105001	5.07	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.40%
41) Toluene-d8	7.56	98	246819	4.48	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.60%
43) trans-1,3-Dichloropropene-	7.85	79	36824	4.79	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	95.80%
46) 2-Hexanone-d5	8.31	63	178433	53.35	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	106.70%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	87399	5.89	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	117.80%
64) 1,2-Dichlorobenzene-d4	11.86	152	86802	5.83	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	116.60%

Target Compounds					Ovalue
34) Trichloroethene	6.18	95	95524	4.811 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU041019\
Data File : VU030953.D
Acq On : 09 Apr 2019 13:18
Operator : JC/SP
Sample : K2286-13
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEZF1

Quant Time: Apr 10 02:33:57 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Apr 10 01:53:07 2019
Response via : Initial Calibration

