

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\
 Data File : VU030979.D
 Acq On : 10 Apr 2019 01:08
 Operator : JC/SP
 Sample : K2290-08
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEZH6

Quant Time: Apr 10 04:51:17 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Apr 10 04:30:45 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	214367	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	217390	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	85697	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	65706	4.01	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	80.20%
7) Chloroethane-d5	1.68	69	64198	4.86	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.20%
11) 1,1-Dichloroethene-d2	2.27	63	102758	3.06	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	61.20%
20) 2-Butanone-d5	4.19	46	275733	65.32	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	130.64%#
24) Chloroform-d	4.64	84	124346	4.47	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.40%
26) 1,2-Dichloroethane-d4	5.31	65	81070	5.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.00%
32) Benzene-d6	5.34	84	244574	4.23	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.60%
36) 1,2-Dichloropropane-d6	6.33	67	90712	4.72	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	94.40%
41) Toluene-d8	7.56	98	184652	3.61	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	72.20%
43) trans-1,3-Dichloropropene-	7.85	79	29679	4.16	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	83.20%
46) 2-Hexanone-d5	8.31	63	160449	51.75	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.50%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	81577	5.93	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	118.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	71332	4.98	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	99.60%

Target Compounds					Ovalue
42) Toluene	7.64	91	7671	0.104 ug/L	81

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\
Data File : VU030979.D
Acq On : 10 Apr 2019 01:08
Operator : JC/SP
Sample : K2290-08
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEZH6

Quant Time: Apr 10 04:51:17 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Apr 10 04:30:45 2019
Response via : Initial Calibration

