

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\
 Data File : VU030999.D
 Acq On : 10 Apr 2019 09:09
 Operator : JC/SP
 Sample : K2290-11
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 54 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BEZH9

Quant Time: Apr 11 01:43:04 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Apr 11 01:24:42 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	207629	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	219755	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	88156	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	60889	3.84	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	76.80%
7) Chloroethane-d5	1.68	69	58424	4.57	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.40%
11) 1,1-Dichloroethene-d2	2.27	63	94490	2.91	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.20%#
20) 2-Butanone-d5	4.19	46	239876	58.67	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	117.34%
24) Chloroform-d	4.64	84	105955	3.94	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.80%
26) 1,2-Dichloroethane-d4	5.31	65	73839	5.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.40%
32) Benzene-d6	5.34	84	215226	3.68	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	73.60%
36) 1,2-Dichloropropane-d6	6.33	67	81620	4.20	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	84.00%
41) Toluene-d8	7.56	98	156467	3.03	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	60.60%#
43) trans-1,3-Dichloropropene-	7.85	79	25946	3.60	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	72.00%
46) 2-Hexanone-d5	8.31	63	145451	46.40	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	92.80%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	72760	5.23	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	104.60%
64) 1,2-Dichlorobenzene-d4	11.86	152	65749	4.46	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	89.20%

Target Compounds					Ovalue
34) Trichloroethene	6.18	95	39990	2.149 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\
Data File : VU030999.D
Acq On : 10 Apr 2019 09:09
Operator : JC/SP
Sample : K2290-11
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 54 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BEZH9

Quant Time: Apr 11 01:43:04 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Apr 11 01:24:42 2019
Response via : Initial Calibration

