

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\
 Data File : VU031005.D
 Acq On : 10 Apr 2019 11:52
 Operator : JC/SP
 Sample : VU0410WBL05
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK08

Quant Time: Apr 11 02:16:36 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Apr 11 02:07:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	227456	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	231938	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	91998	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	70738	4.07	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	81.40%
7) Chloroethane-d5	1.68	69	67616	4.82	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.40%
11) 1,1-Dichloroethene-d2	2.27	63	117580	3.30	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.00%
20) 2-Butanone-d5	4.19	46	238623	53.28	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.56%
24) Chloroform-d	4.64	84	128460	4.35	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.00%
26) 1,2-Dichloroethane-d4	5.31	65	82162	5.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.00%
32) Benzene-d6	5.33	84	264261	4.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.60%
36) 1,2-Dichloropropane-d6	6.33	67	93057	4.54	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.80%
41) Toluene-d8	7.56	98	205467	3.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.40%
43) trans-1,3-Dichloropropene-	7.85	79	30696	4.04	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.80%
46) 2-Hexanone-d5	8.31	63	146038	44.14	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	88.28%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	78389	5.34	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	106.80%
64) 1,2-Dichlorobenzene-d4	11.86	152	78413	5.09	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.80%


Target Compounds					Ovalue
16) Methylene chloride	2.69	84	4996	0.258 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\
Data File : VU031005.D
Acq On : 10 Apr 2019 11:52
Operator : JC/SP
Sample : VU0410WBL05
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK08

Quant Time: Apr 11 02:16:36 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Apr 11 02:07:02 2019
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 0.258 ug/L
 RT: 2.69 min Scan# 499
 Delta R.T. 0.00 min
 Lab File: VU031005.D
 Acq: 10 Apr 2019 11:52

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK08

Tot Ion: 84 Resp: 4996
 Ion Ratio Lower Upper
 84 100
 86 55.3 43.4 80.6
 49 129.9 98.5 182.9

