

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\
 Data File : VU031009.D
 Acq On : 10 Apr 2019 14:19
 Operator : JC/SP
 Sample : K2248-10
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Quant Time: Apr 11 02:46:54 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Apr 11 02:07:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	222955	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	225553	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	91540	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	70555	4.14	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	82.80%
7) Chloroethane-d5	1.68	69	65252	4.75	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	95.00%
11) 1,1-Dichloroethene-d2	2.27	63	111513	3.20	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	64.00%
20) 2-Butanone-d5	4.19	46	241285	54.96	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	109.92%
24) Chloroform-d	4.64	84	120814	4.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.60%
26) 1,2-Dichloroethane-d4	5.31	65	79789	5.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.00%
32) Benzene-d6	5.34	84	255142	4.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	85.00%
36) 1,2-Dichloropropane-d6	6.33	67	91329	4.58	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.60%
41) Toluene-d8	7.56	98	199901	3.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.40%
43) trans-1,3-Dichloropropene-	7.85	79	28120	3.80	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	76.00%
46) 2-Hexanone-d5	8.31	63	137218	42.65	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.30%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	76456	5.36	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	107.20%
64) 1,2-Dichlorobenzene-d4	11.86	152	74480	4.86	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.20%


Target Compounds					Ovalue
16) Methylene chloride	2.70	84	8746	0.461 ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041019\
Data File : VU031009.D
Acq On : 10 Apr 2019 14:19
Operator : JC/SP
Sample : K2248-10
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Time: Apr 11 02:46:54 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR032919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Apr 11 02:07:02 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 0.461 ug/L

RT: 2.70 min Scan# 500

Delta R.T. 0.00 min

Lab File: VU031009.D

Acq: 10 Apr 2019 14:19

Instrument :

MSVOA_U

ClientSampleId :

VHBLK01


Tot Ion: 84 Resp: 8746

Ion Ratio Lower Upper

84 100

86 63.8 43.4 80.6

49 132.9 98.5 182.9



Abundance Ion 84.05 (83.75 to 84.75): VU0

Ion 86.00 (85.70 to 86.70): VU0

Ion 49.10 (48.80 to 49.80): VU0

