

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041024\
 Data File : VU058579.D
 Acq On : 10 Apr 2024 23:35
 Operator : MD/SY
 Sample : P2014-10
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E0MD6

Quant Time: Apr 11 03:00:42 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR040424WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Apr 11 02:34:51 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	79940	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	80993	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	34699	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	22418	4.236	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.800%
7) Chloroethane-d5	1.907	69	20409	4.437	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	88.800%
11) 1,1-Dichloroethene-d2	2.560	65	10387	4.336	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	86.800%
20) 2-Butanone-d5	4.621	46	45853	41.111	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	82.220%
24) Chloroform-d	5.052	84	46549	4.406	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.200%
26) 1,2-Dichloroethane-d4	5.695	65	23091	4.683	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.600%
32) Benzene-d6	5.718	84	92043	4.221	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	84.400%
36) 1,2-Dichloropropane-d6	6.682	67	29850	4.365	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	87.400%
41) Toluene-d8	7.891	98	75402	3.899	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	78.000%
43) trans-1,3-Dichloroprop...	8.177	79	7922	3.732	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	74.600%
46) 2-Hexanone-d5	8.631	63	32099	36.663	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	73.320%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	18540	3.840	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	76.800%
66) 1,2-Dichlorobenzene-d4	12.187	152	23446	4.012	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	80.200%
Target Compounds						Qvalue
22) cis-1,2-Dichloroethene	4.657	96	1802	0.270	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041024\
Data File : VU058579.D
Acq On : 10 Apr 2024 23:35
Operator : MD/SY
Sample : P2014-10
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E0MD6

Quant Time: Apr 11 03:00:42 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR040424WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Apr 11 02:34:51 2024
Response via : Initial Calibration

