

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041119\
 Data File : VU031094.D
 Acq On : 12 Apr 2019 01:23
 Operator : JC/SP
 Sample : VU0411WBL04
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 86 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK57

Quant Time: Apr 12 07:34:08 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 12 07:24:02 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	442213	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	440264	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	187540	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	221953	56.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	112.46%
7) Chloroethane-d5	1.68	69	161878	54.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	108.06%
11) 1,1-Dichloroethene-d2	2.27	63	286481	40.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.24%
21) 2-Butanone-d5	4.17	46	293502	93.81	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.81%
24) Chloroform-d	4.64	84	301474	49.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.98%
26) 1,2-Dichloroethane-d4	5.30	65	219589	53.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.74%
32) Benzene-d6	5.33	84	628801	48.92	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.84%
36) 1,2-Dichloropropane-d6	6.32	67	213150	48.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.78%
41) Toluene-d8	7.56	98	546009	47.93	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.86%
43) trans-1,3-Dichloropropene-	7.85	79	89881	44.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.50%
47) 2-Hexanone-d5	8.31	63	172997	85.93	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.93%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	280989	47.29	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.58%
64) 1,2-Dichlorobenzene-d4	11.86	152	195864	53.10	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	106.20%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU041119\
Data File : VU031094.D
Acq On : 12 Apr 2019 01:23
Operator : JC/SP
Sample : VU0411WBL04
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 86 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK57

Quant Time: Apr 12 07:34:08 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 12 07:24:02 2019
Response via : Initial Calibration

