

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041119\
 Data File : VU031015.D
 Acq On : 10 Apr 2019 16:55
 Operator : JC/SP
 Sample : VU0411WBL01
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK53

Quant Time: Apr 11 05:32:00 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 11 05:17:40 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	436598	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	444355	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	177928	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	184720	47.40	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.80%
7) Chloroethane-d5	1.68	69	155153	52.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	104.90%
11) 1,1-Dichloroethene-d2	2.27	63	258715	36.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.40%
21) 2-Butanone-d5	4.17	46	333257	107.89	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.89%
24) Chloroform-d	4.64	84	313529	52.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.32%
26) 1,2-Dichloroethane-d4	5.31	65	225545	55.52	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	111.04%
32) Benzene-d6	5.34	84	631755	48.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.40%
36) 1,2-Dichloropropane-d6	6.32	67	222588	50.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.14%
41) Toluene-d8	7.56	98	534192	46.46	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.92%
43) trans-1,3-Dichloropropene-	7.85	79	93918	46.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.66%
47) 2-Hexanone-d5	8.31	63	193197	95.08	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	95.08%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	313980	52.36	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	104.72%
64) 1,2-Dichlorobenzene-d4	11.86	152	192929	55.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.26%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041119\
Data File : VU031015.D
Acq On : 10 Apr 2019 16:55
Operator : JC/SP
Sample : VU0411WBL01
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK53

Quant Time: Apr 11 05:32:00 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 11 05:17:40 2019
Response via : Initial Calibration

