

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041119\
 Data File : VU031043.D
 Acq On : 11 Apr 2019 05:00
 Operator : JC/SP
 Sample : K2341-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB721

Quant Time: Apr 11 08:27:25 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 11 08:09:01 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	490161	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	494103	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	212529	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	219055	50.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	100.12%
7) Chloroethane-d5	1.68	69	177884	53.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	107.12%
11) 1,1-Dichloroethene-d2	2.27	63	317558	40.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.26%
21) 2-Butanone-d5	4.17	46	372083	107.29	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.29%
24) Chloroform-d	4.64	84	349153	52.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.48%
26) 1,2-Dichloroethane-d4	5.30	65	249811	54.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.54%
32) Benzene-d6	5.33	84	731964	50.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.50%
36) 1,2-Dichloropropane-d6	6.32	67	251777	50.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	101.86%
41) Toluene-d8	7.56	98	653939	51.15	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	102.30%
43) trans-1,3-Dichloropropene-	7.85	79	106090	47.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.14%
47) 2-Hexanone-d5	8.31	63	224944	99.56	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.56%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	340679	51.09	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.18%
64) 1,2-Dichlorobenzene-d4	11.86	152	233333	55.83	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	111.66%


Target Compounds					Ovalue
13) Acetone	2.32	43	7221	2.035 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU041119\
Data File : VU031043.D
Acq On : 11 Apr 2019 05:00
Operator : JC/SP
Sample : K2341-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB721

Quant Time: Apr 11 08:27:25 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 11 08:09:01 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.035 ug/L

RT: 2.32 min Scan# 381

Delta R.T. 0.00 min

Lab File: VU031043.D

Acq: 11 Apr 2019 05:00

Instrument :

MSVOA_U

ClientSampleId :

DB721

Tot Ion: 43 Resp: 7221

Ion Ratio Lower Upper

43 100

58 30.0 0.0 64.0

