

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041119\
 Data File : VU031055.D
 Acq On : 11 Apr 2019 09:34
 Operator : JC/SP
 Sample : K2340-15
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 45 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BF2R2

Quant Time: Apr 12 04:01:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 12 03:03:54 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	486961	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	483104	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	212725	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	194743	44.80	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.60%
7) Chloroethane-d5	1.68	69	162093	49.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.26%
11) 1,1-Dichloroethene-d2	2.27	63	274610	34.93	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.86%
21) 2-Butanone-d5	4.17	46	348456	101.14	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.14%
24) Chloroform-d	4.64	84	334320	50.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.70%
26) 1,2-Dichloroethane-d4	5.30	65	235222	51.91	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.82%
32) Benzene-d6	5.33	84	682586	48.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.80%
36) 1,2-Dichloropropane-d6	6.32	67	233656	48.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.68%
41) Toluene-d8	7.56	98	584810	46.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.56%
43) trans-1,3-Dichloropropene-	7.85	79	102461	46.49	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.98%
47) 2-Hexanone-d5	8.31	63	208502	94.39	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.39%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	327423	50.22	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.44%
64) 1,2-Dichlorobenzene-d4	11.86	152	217930	52.09	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.18%


Target Compounds					Ovalue
3) Chloromethane	1.32	50	5828	1.053 ug/L	89
13) Acetone	2.32	43	12638	3.585 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU041119\
Data File : VU031055.D
Acq On : 11 Apr 2019 09:34
Operator : JC/SP
Sample : K2340-15
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 45 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BF2R2

Quant Time: Apr 12 04:01:41 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 12 03:03:54 2019
Response via : Initial Calibration





#3

Chloromethane

Concen: 1.053 ug/L

RT: 1.32 min Scan# 73

Delta R.T. 0.00 min

Lab File: VU031055.D

Acq: 11 Apr 2019 09:34

Instrument :

MSVOA_U

ClientSampleId :





BF2R2

Tot Ion: 50 Resp: 5828

Ion Ratio Lower Upper

50 100

52 38.6 22.7 42.1



#13

Acetone

Concen: 3.585 ug/L

RT: 2.32 min Scan# 381

Delta R.T. 0.00 min

Lab File: VU031055.D

Acq: 11 Apr 2019 09:34

Tgt Ion: 43 Resp: 12638

Ion Ratio Lower Upper

43 100

58 36.4 0.0 64.0

