

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041119\
 Data File : VU031074.D
 Acq On : 11 Apr 2019 17:22
 Operator : JC/SP
 Sample : K2341-17
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 65 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB744

Quant Time: Apr 12 05:43:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 12 04:43:47 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	472045	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	461196	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	197055	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	155055	36.80	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.60%
7) Chloroethane-d5	1.68	69	137739	43.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.14%
11) 1,1-Dichloroethene-d2	2.27	63	233238	30.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.20%
21) 2-Butanone-d5	4.17	46	346250	103.68	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.68%
24) Chloroform-d	4.64	84	315178	48.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.92%
26) 1,2-Dichloroethane-d4	5.31	65	219702	50.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.04%
32) Benzene-d6	5.34	84	610844	45.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.74%
36) 1,2-Dichloropropane-d6	6.32	67	218462	47.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.70%
41) Toluene-d8	7.56	98	518443	43.44	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.88%
43) trans-1,3-Dichloropropene-	7.85	79	92608	44.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.04%
47) 2-Hexanone-d5	8.31	63	198481	94.12	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.12%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	313313	50.34	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.68%
64) 1,2-Dichlorobenzene-d4	11.86	152	201564	52.01	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.02%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU041119\
Data File : VU031074.D
Acq On : 11 Apr 2019 17:22
Operator : JC/SP
Sample : K2341-17
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 65 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB744

Quant Time: Apr 12 05:43:55 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 12 04:43:47 2019
Response via : Initial Calibration

