

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041119\
 Data File : VU031076.D
 Acq On : 11 Apr 2019 18:08
 Operator : JC/SP
 Sample : K2339-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 67 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BFC74

Quant Time: Apr 12 05:49:59 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 12 04:43:47 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	463975	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	458469	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	203577	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	152844	36.90	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.80%
7) Chloroethane-d5	1.68	69	134614	42.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.64%
11) 1,1-Dichloroethene-d2	2.27	63	227313	30.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	60.68%
21) 2-Butanone-d5	4.17	46	332795	101.38	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	101.38%
24) Chloroform-d	4.64	84	308241	48.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.44%
26) 1,2-Dichloroethane-d4	5.30	65	216548	50.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.32%
32) Benzene-d6	5.33	84	602986	45.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.10%
36) 1,2-Dichloropropane-d6	6.32	67	214399	46.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.48%
41) Toluene-d8	7.56	98	501768	42.30	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.60%
43) trans-1,3-Dichloropropene-	7.85	79	93656	44.78	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.56%
47) 2-Hexanone-d5	8.31	63	191915	91.55	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	91.55%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	314189	50.78	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.56%
64) 1,2-Dichlorobenzene-d4	11.86	152	200748	50.14	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.28%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041119\
Data File : VU031076.D
Acq On : 11 Apr 2019 18:08
Operator : JC/SP
Sample : K2339-10
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 67 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BFC74

Quant Time: Apr 12 05:49:59 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 12 04:43:47 2019
Response via : Initial Calibration

