

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041119\
 Data File : VU031077.D
 Acq On : 11 Apr 2019 18:31
 Operator : JC/SP
 Sample : K2341-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 68 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB735

Quant Time: Apr 12 05:58:29 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 12 04:43:47 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	456477	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	451268	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	193730	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	150670	36.98	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	73.96%
7) Chloroethane-d5	1.68	69	136207	44.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.08%
11) 1,1-Dichloroethene-d2	2.27	63	227492	30.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.74%
21) 2-Butanone-d5	4.17	46	344325	106.62	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.62%
24) Chloroform-d	4.64	84	311549	50.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.10%
26) 1,2-Dichloroethane-d4	5.30	65	219068	51.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.16%
32) Benzene-d6	5.34	84	599208	45.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.96%
36) 1,2-Dichloropropane-d6	6.32	67	212414	47.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.10%
41) Toluene-d8	7.56	98	509978	43.67	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.34%
43) trans-1,3-Dichloropropene-	7.85	79	93730	45.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.06%
47) 2-Hexanone-d5	8.31	63	194027	94.03	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.03%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	313386	51.46	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.92%
64) 1,2-Dichlorobenzene-d4	11.86	152	200564	52.64	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.28%


Target Compounds					Ovalue
13) Acetone	2.32	43	16909	5.117 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041119\
Data File : VU031077.D
Acq On : 11 Apr 2019 18:31
Operator : JC/SP
Sample : K2341-13
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 68 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB735

Quant Time: Apr 12 05:58:29 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 12 04:43:47 2019
Response via : Initial Calibration





#13
 Acetone
 Concen: 5.117 ug/L
 RT: 2.32 min Scan# 382
 Delta R.T. 0.00 min
 Lab File: VU031077.D
 Acq: 11 Apr 2019 18:31

Instrument :
 MSVOA_U
 ClientSampleID :
 DB735

Tot Ion: 43 Resp: 16909
 Ion Ratio Lower Upper
 43 100
 58 33.8 0.0 64.0

