

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041221\
 Data File : VU043024.D
 Acq On : 12 Apr 2021 15:38
 Operator : SY/MD
 Sample : M1946-07
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 TRIP-BLANK

Quant Time: Apr 13 05:13:29 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\82U041221W.M
 Quant Title : SW846 8260
 QLast Update : Mon Apr 12 13:17:29 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.382	168	125982	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.256	114	207329	50.00	ug/l	0.00
63) Chlorobenzene-d5	9.423	117	201587	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	11.819	152	100414	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.710	65	103126	48.69	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.38%	
35) Dibromofluoromethane	5.298	113	71095	45.63	ug/l	0.00
Spiked Amount	50.000		Recovery	=	91.26%	
50) Toluene-d8	7.906	98	262954	47.70	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.40%	
62) 4-Bromofluorobenzene	10.639	95	97542	44.19	ug/l	0.00
Spiked Amount	50.000		Recovery	=	88.38%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041221\
Data File : VU043024.D
Acq On : 12 Apr 2021 15:38
Operator : SY/MD
Sample : M1946-07
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
TRIP-BLANK

Quant Time: Apr 13 05:13:29 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\82U041221W.M
Quant Title : SW846 8260
QLast Update : Mon Apr 12 13:17:29 2021
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.00 ug/l
RT: 5.382 min Scan# 1257
Delta R.T. -0.000 min
Lab File: VU043024.D
Acq: 12 Apr 2021 15:38




Instrument :
MSVOA_U
ClientSampleId :
TRIP-BLANK


Tgt Ion:168 Resp: 125982
Ion Ratio Lower Upper
168 100
99 57.7 45.0 67.4



#33
1,2-Dichloroethane-d4
Concen: 48.69 ug/l
RT: 5.710 min Scan# 1359
Delta R.T. -0.000 min
Lab File: VU043024.D
Acq: 12 Apr 2021 15:38

Tgt Ion: 65 Resp: 103126
Ion Ratio Lower Upper
65 100
67 50.3 0.0 99.8









#34
1,4-Difluorobenzene
Concen: 50.00 ug/l
RT: 6.256 min Scan# 1529
Delta R.T. 0.000 min
Lab File: VU043024.D
Acq: 12 Apr 2021 15:38




Instrument :
MSVOA_U
ClientSampleId :
TRIP-BLANK


Tgt Ion:	114	Resp:	207329
Ion Ratio	Lower	Upper	
114	100		
63	24.1	0.0	44.2
88	15.9	0.0	33.4



#35
Dibromofluoromethane
Concen: 45.63 ug/l
RT: 5.298 min Scan# 1231
Delta R.T. 0.000 min
Lab File: VU043024.D
Acq: 12 Apr 2021 15:38

Tgt Ion:	113	Resp:	71095
Ion Ratio	Lower	Upper	
113	100		
111	102.9	81.8	122.8
192	21.8	17.2	25.8









#50
Toluene-d8
Concen: 47.70 ug/l
RT: 7.906 min Scan# 2042
Delta R.T. -0.000 min
Lab File: VU043024.D
Acq: 12 Apr 2021 15:38




Instrument :
MSVOA_U
ClientSampleId :
TRIP-BLANK


Tgt Ion: 98 Resp: 262954
Ion Ratio Lower Upper
98 100
100 63.6 50.2 75.2



#62
4-Bromofluorobenzene
Concen: 44.19 ug/l
RT: 10.639 min Scan# 2892
Delta R.T. -0.000 min
Lab File: VU043024.D
Acq: 12 Apr 2021 15:38

Tgt Ion: 95 Resp: 97542
Ion Ratio Lower Upper
95 100
174 87.3 0.0 172.2
176 85.5 0.0 168.8









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 9.423 min Scan# 2514
Delta R.T. 0.000 min
Lab File: VU043024.D
Acq: 12 Apr 2021 15:38

Instrument :
MSVOA_U
ClientSampleId :
TRIP-BLANK

Tgt Ion:117 Resp: 201587
Ion Ratio Lower Upper
117 100
82 58.6 45.8 68.6
119 31.5 25.8 38.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 11.819 min Scan# 3259
Delta R.T. -0.000 min
Lab File: VU043024.D
Acq: 12 Apr 2021 15:38

Tgt Ion:152 Resp: 100414
Ion Ratio Lower Upper
152 100
115 57.9 41.5 124.6
150 156.8 0.0 342.4

