

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041319\
 Data File : VU031162.D
 Acq On : 13 Apr 2019 17:27
 Operator : JC/SP
 Sample : K2341-13
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DB735

Quant Time: Apr 15 11:43:24 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 13 22:25:59 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	467779	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	407268	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	156696	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	192961	46.21	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.42%
7) Chloroethane-d5	1.68	69	152589	48.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.30%
11) 1,1-Dichloroethene-d2	2.27	63	265447	35.15	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.30%
21) 2-Butanone-d5	4.17	46	320022	96.70	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.70%
24) Chloroform-d	4.64	84	327380	51.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.64%
26) 1,2-Dichloroethane-d4	5.31	65	221786	50.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.92%
32) Benzene-d6	5.34	84	651553	54.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.60%
36) 1,2-Dichloropropane-d6	6.32	67	222696	54.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	109.32%
41) Toluene-d8	7.56	98	501373	47.58	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.16%
43) trans-1,3-Dichloropropene-	7.85	79	84761	45.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.24%
47) 2-Hexanone-d5	8.31	63	168751	90.62	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.62%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	273079	49.69	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.38%
64) 1,2-Dichlorobenzene-d4	11.86	152	171416	55.62	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	111.24%

Target Compounds					Ovalue
13) Acetone	2.32	43	12929	3.818 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU041319\
Data File : VU031162.D
Acq On : 13 Apr 2019 17:27
Operator : JC/SP
Sample : K2341-13
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DB735

Quant Time: Apr 15 11:43:24 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM040519WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 13 22:25:59 2019
Response via : Initial Calibration

