

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041422\
 Data File : VU048062.D
 Acq On : 14 Apr 2022 16:44
 Operator : SY/MD
 Sample : N2387-09
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0J75

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

Signal : TIC: VU048062.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.601	74	81	99	rBV	122032	141690	12.41%	1.525%
2	1.916	171	179	196	rVB	101791	142351	12.46%	1.532%
3	2.568	370	382	396	rBV	220156	359187	31.45%	3.866%
4	2.713	423	427	430	rBV4	334	235	0.02%	0.003%
5	2.729	430	432	434	rBV2	413	249	0.02%	0.003%
6	2.752	434	439	442	rBV4	1820	1822	0.16%	0.020%
7	2.822	459	461	467	rVB3	354	290	0.03%	0.003%
8	2.887	477	481	483	rBV2	292	234	0.02%	0.003%
9	3.041	524	529	531	rBV3	626	500	0.04%	0.005%
10	3.112	546	551	554	rBV3	292	313	0.03%	0.003%
11	3.186	564	574	587	rBV4	2673	6096	0.53%	0.066%
12	3.572	691	694	702	rVB2	272	225	0.02%	0.002%
13	3.671	719	725	730	rVB2	374	436	0.04%	0.005%
14	3.723	735	741	748	rBV2	352	450	0.04%	0.005%
15	3.771	753	756	760	rBV2	332	319	0.03%	0.003%
16	3.935	803	807	812	rBV2	208	208	0.02%	0.002%
17	3.961	812	815	818	rBV2	325	291	0.03%	0.003%
18	4.051	835	843	847	rBV3	416	652	0.06%	0.007%
19	4.362	936	940	943	rBV2	491	365	0.03%	0.004%
20	4.539	987	995	998	rBV2	166	205	0.02%	0.002%
21	4.623	1007	1021	1062	rBV	133849	328170	28.74%	3.532%
22	4.903	1105	1108	1116	rVB	296	248	0.02%	0.003%
23	5.067	1142	1159	1180	rBV2	207857	458244	40.13%	4.933%
24	5.301	1222	1232	1236	rVB4	649	1123	0.10%	0.012%
25	5.334	1236	1242	1246	rBV3	574	545	0.05%	0.006%
26	5.597	1320	1324	1327	rVB2	284	222	0.02%	0.002%
27	5.726	1342	1364	1376	rBV2	410162	1142041	100.00%	12.293%
28	5.903	1415	1419	1423	rVB3	329	306	0.03%	0.003%
29	5.948	1429	1433	1435	rBV2	297	227	0.02%	0.002%
30	5.964	1436	1438	1442	rVV2	370	236	0.02%	0.003%
31	6.041	1459	1462	1466	rVB3	202	204	0.02%	0.002%
32	6.121	1482	1487	1492	rVB3	682	748	0.07%	0.008%
33	6.250	1512	1527	1551	rBV	330537	624770	54.71%	6.725%
34	6.533	1606	1615	1620	rBV4	1329	1959	0.17%	0.021%
35	6.597	1632	1635	1639	rVB	380	229	0.02%	0.002%
36	6.620	1639	1642	1644	rBV	371	230	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041422\
 Data File : VU048062.D
 Acq On : 14 Apr 2022 16:44
 Operator : SY/MD
 Sample : N2387-09
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0J75

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

37	6.639	1644	1648	1650	rVV	467	343	0.03%	0.004%
38	6.694	1650	1665	1694	rVV	266493	522720	45.77%	5.627%
39	6.796	1695	1697	1699	rVV2	961	542	0.05%	0.006%
40	6.809	1699	1701	1709	rVV4	911	937	0.08%	0.010%
41	6.983	1750	1755	1758	rBV2	267	226	0.02%	0.002%
42	7.186	1807	1818	1831	rBV4	3551	6372	0.56%	0.069%
43	7.337	1859	1865	1869	rVV2	190	225	0.02%	0.002%
44	7.414	1883	1889	1891	rBV2	306	291	0.03%	0.003%
45	7.440	1891	1897	1902	rVB3	314	417	0.04%	0.004%
46	7.468	1902	1906	1909	rBV2	259	205	0.02%	0.002%
47	7.504	1914	1917	1921	rVB	277	212	0.02%	0.002%
48	7.568	1923	1937	1955	rBV	130794	232538	20.36%	2.503%
49	7.690	1966	1975	1984	rBV3	2314	3691	0.32%	0.040%
50	7.755	1993	1995	2002	rVB2	362	291	0.03%	0.003%
51	7.806	2009	2011	2025	rVB3	556	740	0.06%	0.008%
52	7.899	2025	2040	2056	rBV	490258	856861	75.03%	9.223%
53	8.089	2097	2099	2106	rVB2	557	537	0.05%	0.006%
54	8.179	2115	2127	2144	rBV	92515	160238	14.03%	1.725%
55	8.375	2183	2188	2192	rVB2	377	337	0.03%	0.004%
56	8.459	2208	2214	2215	rBV2	781	653	0.06%	0.007%
57	8.475	2216	2219	2229	rVB4	1848	2358	0.21%	0.025%
58	8.632	2255	2268	2310	rBV	390329	740916	64.88%	7.975%
59	8.877	2338	2344	2345	rBV2	402	426	0.04%	0.005%
60	9.166	2431	2434	2438	rBV3	543	364	0.03%	0.004%
61	9.324	2477	2483	2486	rBV3	299	357	0.03%	0.004%
62	9.417	2499	2512	2519	rBV	517244	948228	83.03%	10.207%
63	9.645	2581	2583	2588	rVB2	431	345	0.03%	0.004%
64	9.693	2592	2598	2604	rVB3	808	1065	0.09%	0.011%
65	10.105	2720	2726	2729	rBV2	416	414	0.04%	0.004%
66	10.124	2729	2732	2741	rVB3	369	428	0.04%	0.005%
67	10.478	2840	2842	2847	rVB	446	355	0.03%	0.004%
68	10.668	2896	2901	2903	rBV2	1215	1064	0.09%	0.011%
69	10.758	2916	2929	2947	rVV	427541	686647	60.12%	7.391%
70	10.838	2952	2954	2958	rVB3	420	206	0.02%	0.002%
71	10.896	2966	2972	2986	rVB4	2397	3901	0.34%	0.042%
72	11.089	3030	3032	3036	rVB3	333	203	0.02%	0.002%
73	11.118	3036	3041	3045	rBV3	400	380	0.03%	0.004%
74	11.398	3124	3128	3131	rVV3	323	266	0.02%	0.003%
75	11.417	3131	3134	3137	rVB	429	217	0.02%	0.002%
76	11.439	3137	3141	3144	rBV2	382	388	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041422\
 Data File : VU048062.D
 Acq On : 14 Apr 2022 16:44
 Operator : SY/MD
 Sample : N2387-09
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0J75

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

77	11.462	3144	3148	3159	rVV4	1094	1579	0.14%	0.017%
78	11.504	3159	3161	3167	rVB2	251	277	0.02%	0.003%
79	11.629	3195	3200	3210	rVB3	415	665	0.06%	0.007%
80	11.700	3215	3222	3223	rBV4	598	557	0.05%	0.006%
81	11.748	3230	3237	3245	rVB3	2092	3181	0.28%	0.034%
82	11.812	3245	3257	3282	rBV	548012	942473	82.53%	10.145%
83	11.976	3305	3308	3311	rVB2	703	415	0.04%	0.004%
84	12.066	3329	3336	3337	rBV3	2226	2024	0.18%	0.022%
85	12.147	3357	3361	3362	rBV	480	339	0.03%	0.004%
86	12.195	3362	3376	3395	rVV	540791	937478	82.09%	10.091%
87	12.475	3461	3463	3465	rBV2	317	212	0.02%	0.002%
88	12.639	3508	3514	3515	rBV2	452	424	0.04%	0.005%
89	12.684	3527	3528	3531	rBV2	348	207	0.02%	0.002%
90	12.700	3531	3533	3536	rVV	369	234	0.02%	0.003%
91	12.732	3540	3543	3548	rBV3	326	344	0.03%	0.004%
92	12.809	3563	3567	3574	rBV	452	628	0.05%	0.007%
93	13.192	3684	3686	3691	rBV2	404	273	0.02%	0.003%
94	13.221	3691	3695	3698	rVB2	363	232	0.02%	0.002%
95	13.285	3712	3715	3720	rVB2	378	232	0.02%	0.002%
96	13.307	3720	3722	3725	rBV3	323	226	0.02%	0.002%
97	13.844	3884	3889	3899	rVB5	2987	4370	0.38%	0.047%
98	14.333	4037	4041	4043	rBV3	592	565	0.05%	0.006%
99	14.693	4151	4153	4156	rBV	463	351	0.03%	0.004%
100	15.278	4333	4335	4337	rBV4	508	257	0.02%	0.003%

Sum of corrected areas: 9290067

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041422\
Data File : VU048062.D
Acq On : 14 Apr 2022 16:44
Operator : SY/MD
Sample : N2387-09
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0J75

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041422\
Data File : VU048062.D
Acq On : 14 Apr 2022 16:44
Operator : SY/MD
Sample : N2387-09
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0J75

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
