

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041423\
 Data File : VU053685.D
 Acq On : 13 Apr 2023 16:28
 Operator : JC/MD
 Sample : VU0414WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK182

Quant Time: Apr 14 02:24:20 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR032423WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Apr 14 02:17:15 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.247	114	137774	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.414	117	132292	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.809	152	65100	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.594	65	52820	5.573	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	111.400%	
7) Chloroethane-d5	1.909	69	41283	4.799	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	96.000%	
11) 1,1-Dichloroethene-d2	2.562	65	18357	4.547	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	91.000%	
20) 2-Butanone-d5	4.616	46	65761	30.287	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	60.580%	
24) Chloroform-d	5.057	84	76437	4.350	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	87.000%	
26) 1,2-Dichloroethane-d4	5.697	65	37104	4.121	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	82.400%	
32) Benzene-d6	5.722	84	161044	4.296	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	86.000%	
36) 1,2-Dichloropropane-d6	6.687	67	47268	4.138	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	82.800%	
41) Toluene-d8	7.896	98	146868	4.152	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	83.000%	
43) trans-1,3-Dichloroprop...	8.176	79	17166	3.916	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	78.400%	
46) 2-Hexanone-d5	8.629	63	59276	33.288	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	66.580%	
56) 1,1,2,2-Tetrachloroeth...	10.751	84	33072	3.478	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	69.600%	
66) 1,2-Dichlorobenzene-d4	12.192	152	49921	4.262	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	85.200%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041423\
Data File : VU053685.D
Acq On : 13 Apr 2023 16:28
Operator : JC/MD
Sample : VU0414WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK182

Quant Time: Apr 14 02:24:20 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR032423WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Apr 14 02:17:15 2023
Response via : Initial Calibration

