

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041521\
 Data File : VU043145.D
 Acq On : 16 Apr 2021 01:22
 Operator : SY/MD
 Sample : M2055-11
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 H4543

Quant Time: Apr 16 07:17:28 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR041521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Apr 16 07:14:05 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	67195	5.00	ug/L	# 0.00
28) Chlorobenzene-d5	9.427	117	67104	5.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	33203	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	17682	5.18	ug/L	0.00
Spiked Amount 5.000	Range	40 - 130	Recovery	=	103.60%	
7) Chloroethane-d5	1.919	69	17132	5.32	ug/L	0.00
Spiked Amount 5.000	Range	65 - 130	Recovery	=	106.40%	
11) 1,1-Dichloroethene-d2	2.572	65	10283	5.20	ug/L	0.00
Spiked Amount 5.000	Range	60 - 125	Recovery	=	104.00%	
20) 2-Butanone-d5	4.642	46	98355	65.63	ug/L	0.00
Spiked Amount 50.000	Range	40 - 130	Recovery	=	131.26%#	
24) Chloroform-d	5.073	84	47244	5.44	ug/L	0.00
Spiked Amount 5.000	Range	70 - 125	Recovery	=	108.80%	
26) 1,2-Dichloroethane-d4	5.710	65	31467	5.36	ug/L	0.00
Spiked Amount 5.000	Range	70 - 130	Recovery	=	107.20%	
32) Benzene-d6	5.735	84	86917	5.56	ug/L	0.00
Spiked Amount 5.000	Range	70 - 125	Recovery	=	111.20%	
36) 1,2-Dichloropropane-d6	6.700	67	28849	5.57	ug/L	0.00
Spiked Amount 5.000	Range	60 - 140	Recovery	=	111.40%	
41) Toluene-d8	7.906	98	81643	5.03	ug/L	0.00
Spiked Amount 5.000	Range	70 - 130	Recovery	=	100.60%	
43) trans-1,3-Dichloroprop...	8.186	79	11744	5.13	ug/L	0.00
Spiked Amount 5.000	Range	55 - 130	Recovery	=	102.60%	
46) 2-Hexanone-d5	8.645	63	65942	57.78	ug/L	0.00
Spiked Amount 50.000	Range	45 - 130	Recovery	=	115.56%	
56) 1,1,2,2-Tetrachloroeth...	10.764	84	25711	5.64	ug/L	0.00
Spiked Amount 5.000	Range	65 - 120	Recovery	=	112.80%	
66) 1,2-Dichlorobenzene-d4	12.201	152	31950	5.61	ug/L	0.00
Spiked Amount 5.000	Range	80 - 120	Recovery	=	112.20%	
Target Compounds						
42) Toluene	7.977	91	1579	0.08	ug/L	Qvalue 90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041521\
Data File : VU043145.D
Acq On : 16 Apr 2021 01:22
Operator : SY/MD
Sample : M2055-11
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
H4543

Quant Time: Apr 16 07:17:28 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR041521WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Apr 16 07:14:05 2021
Response via : Initial Calibration

