

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041719\
 Data File : VU031227.D
 Acq On : 16 Apr 2019 21:56
 Operator : JC/SP
 Sample : K2403-14
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK02

Quant Time: Apr 17 04:51:22 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM041719WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 17 04:13:40 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	495069	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	481196	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	192464	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	162588	35.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	71.32%
7) Chloroethane-d5	1.68	69	155056	39.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	78.34%
11) 1,1-Dichloroethene-d2	2.27	63	294776	32.64	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.28%
21) 2-Butanone-d5	4.19	46	287168	86.48	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.48%
24) Chloroform-d	4.64	84	313627	41.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.46%
26) 1,2-Dichloroethane-d4	5.31	65	204344	43.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.24%
32) Benzene-d6	5.34	84	624999	41.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.18%
36) 1,2-Dichloropropane-d6	6.33	67	216226	43.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	87.60%
41) Toluene-d8	7.56	98	554632	41.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	82.86%
43) trans-1,3-Dichloropropene-	7.85	79	92441	39.17	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.34%
47) 2-Hexanone-d5	8.31	63	197818	84.88	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.88%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	288318	42.07	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.14%
64) 1,2-Dichlorobenzene-d4	11.86	152	188199	42.64	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.28%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041719\
Data File : VU031227.D
Acq On : 16 Apr 2019 21:56
Operator : JC/SP
Sample : K2403-14
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK02

Quant Time: Apr 17 04:51:22 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM041719WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 17 04:13:40 2019
Response via : Initial Calibration

