

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041719\
 Data File : VU031221.D
 Acq On : 16 Apr 2019 19:37
 Operator : JC/SP
 Sample : K2299-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM041719WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.180	25	28	35	rVB2	10985	9512	0.44%	0.058%
2	1.396	88	95	109	rBV	374375	404608	18.56%	2.470%
3	1.682	176	184	194	rBV	304403	370251	16.99%	2.260%
4	2.270	356	367	381	rVB	605181	922682	42.33%	5.632%
5	2.476	424	431	438	rVV3	3274	5018	0.23%	0.031%
6	2.527	445	447	452	rVB3	707	520	0.02%	0.003%
7	2.627	470	478	481	rBV4	886	1052	0.05%	0.006%
8	2.672	488	492	493	rBV	716	465	0.02%	0.003%
9	2.704	493	502	504	rVV4	1880	2679	0.12%	0.016%
10	2.936	570	574	576	rVB	719	500	0.02%	0.003%
11	2.952	576	579	583	rBV3	497	570	0.03%	0.003%
12	2.971	583	585	587	rBV2	1450	850	0.04%	0.005%
13	2.984	587	589	593	rVB4	1151	837	0.04%	0.005%
14	3.180	643	650	652	rBV	540	422	0.02%	0.003%
15	3.289	681	684	688	rVB	710	493	0.02%	0.003%
16	3.486	741	745	747	rVV3	586	467	0.02%	0.003%
17	3.566	768	770	775	rVV2	481	423	0.02%	0.003%
18	3.627	785	789	792	rBV	589	425	0.02%	0.003%
19	3.749	818	827	830	rBV2	593	711	0.03%	0.004%
20	3.820	846	849	853	rBV	715	561	0.03%	0.003%
21	3.936	882	885	890	rVB2	576	517	0.02%	0.003%
22	4.090	929	933	936	rBV2	405	417	0.02%	0.003%
23	4.190	950	964	1000	rBV2	165008	537772	24.67%	3.282%
24	4.559	1075	1079	1080	rBV3	894	727	0.03%	0.004%
25	4.643	1088	1105	1130	rBV	361555	855532	39.25%	5.222%
26	4.900	1183	1185	1188	rVB2	1217	603	0.03%	0.004%
27	4.939	1192	1197	1198	rBV3	555	424	0.02%	0.003%
28	5.032	1221	1226	1229	rVB3	873	586	0.03%	0.004%
29	5.074	1237	1239	1245	rBV3	683	440	0.02%	0.003%
30	5.206	1276	1280	1286	rVB3	789	809	0.04%	0.005%
31	5.334	1297	1320	1348	rBV2	715374	2179666	100.00%	13.304%
32	5.736	1442	1445	1448	rVB2	864	492	0.02%	0.003%
33	5.768	1448	1455	1457	rBV5	1184	1257	0.06%	0.008%
34	5.791	1460	1462	1466	rVB4	690	425	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041719\
 Data File : VU031221.D
 Acq On : 16 Apr 2019 19:37
 Operator : JC/SP
 Sample : K2299-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM041719WMA.M
 Title : VOC Analysis

35	5.881	1476	1490	1515	rBV	562208	1187828	54.50%	7.250%
36	6.132	1566	1568	1572	rBV4	914	487	0.02%	0.003%
37	6.186	1574	1585	1594	rBV10	5818	12764	0.59%	0.078%
38	6.251	1602	1605	1608	rBV3	893	585	0.03%	0.004%
39	6.328	1614	1629	1652	rBV	467073	979721	44.95%	5.980%
40	6.595	1705	1712	1715	rBV5	1077	1307	0.06%	0.008%
41	6.608	1715	1716	1719	rVV	1183	637	0.03%	0.004%
42	6.649	1726	1729	1733	rVB4	919	746	0.03%	0.005%
43	6.691	1738	1742	1744	rVV3	908	643	0.03%	0.004%
44	6.720	1749	1751	1754	rVB2	958	501	0.02%	0.003%
45	6.743	1754	1758	1760	rBV2	788	732	0.03%	0.004%
46	6.765	1764	1765	1771	rVB2	911	689	0.03%	0.004%
47	6.871	1795	1798	1803	rBV2	814	969	0.04%	0.006%
48	6.997	1834	1837	1843	rVB2	803	782	0.04%	0.005%
49	7.151	1882	1885	1889	rVB2	765	596	0.03%	0.004%
50	7.225	1896	1908	1934	rBV2	256399	498732	22.88%	3.044%
51	7.463	1979	1982	1985	rBV3	1185	870	0.04%	0.005%
52	7.563	1996	2013	2051	rBV	886634	1714780	78.67%	10.466%
53	7.849	2091	2102	2128	rBV	170765	328330	15.06%	2.004%
54	8.013	2150	2153	2159	rVB6	1172	968	0.04%	0.006%
55	8.231	2215	2221	2225	rVB5	1632	1766	0.08%	0.011%
56	8.312	2232	2246	2283	rBV	650485	1266441	58.10%	7.730%
57	8.669	2353	2357	2359	rVB2	1214	678	0.03%	0.004%
58	8.710	2367	2370	2373	rBV2	576	449	0.02%	0.003%
59	8.791	2392	2395	2400	rVB4	881	729	0.03%	0.004%
60	8.887	2421	2425	2427	rBV2	743	557	0.03%	0.003%
61	8.929	2436	2438	2441	rVB2	995	574	0.03%	0.004%
62	8.980	2448	2454	2459	rBV4	934	982	0.05%	0.006%
63	9.032	2468	2470	2474	rBV2	854	584	0.03%	0.004%
64	9.087	2474	2487	2514	rBV	800405	1443839	66.24%	8.813%
65	9.321	2557	2560	2562	rBV2	897	568	0.03%	0.003%
66	9.386	2575	2580	2584	rBV6	1186	1065	0.05%	0.007%
67	9.659	2661	2665	2670	rVB2	939	777	0.04%	0.005%
68	9.685	2670	2673	2678	rBV	628	584	0.03%	0.004%
69	9.717	2678	2683	2685	rBV	579	478	0.02%	0.003%
70	9.730	2685	2687	2694	rVB3	507	483	0.02%	0.003%
71	9.768	2694	2699	2702	rBV3	1099	1056	0.05%	0.006%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041719\
 Data File : VU031221.D
 Acq On : 16 Apr 2019 19:37
 Operator : JC/SP
 Sample : K2299-10
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM041719WMA.M
 Title : VOC Analysis

72	9.810	2708	2712	2716	rVB5	1419	1074	0.05%	0.007%
73	10.054	2785	2788	2792	rBV	534	505	0.02%	0.003%
74	10.202	2829	2834	2837	rBV2	528	513	0.02%	0.003%
75	10.263	2850	2853	2858	rVB3	888	803	0.04%	0.005%
76	10.296	2858	2863	2865	rBV2	839	728	0.03%	0.004%
77	10.427	2891	2904	2924	rBV	654314	1059322	48.60%	6.466%
78	10.588	2951	2954	2955	rBV2	787	414	0.02%	0.003%
79	10.842	3027	3033	3035	rBV	838	707	0.03%	0.004%
80	11.035	3090	3093	3096	rVB3	662	422	0.02%	0.003%
81	11.077	3102	3106	3109	rBV3	959	757	0.03%	0.005%
82	11.160	3130	3132	3136	rVB2	770	505	0.02%	0.003%
83	11.421	3210	3213	3214	rBV3	1419	775	0.04%	0.005%
84	11.479	3220	3231	3255	rBV	717426	1184428	54.34%	7.229%
85	11.775	3319	3323	3325	rBV4	937	801	0.04%	0.005%
86	11.855	3336	3348	3373	rBV	812016	1362632	62.52%	8.317%
87	12.218	3459	3461	3463	rBV2	961	578	0.03%	0.004%
88	12.357	3501	3504	3512	rBV6	1000	1497	0.07%	0.009%
89	12.501	3546	3549	3551	rBV2	766	565	0.03%	0.003%
90	12.595	3572	3578	3580	rBV3	1275	1250	0.06%	0.008%
91	12.713	3611	3615	3618	rBV3	899	615	0.03%	0.004%
92	12.730	3618	3620	3623	rVV3	799	432	0.02%	0.003%
93	12.839	3651	3654	3658	rBV2	1039	728	0.03%	0.004%
94	13.231	3773	3776	3781	rBV3	703	723	0.03%	0.004%
95	13.402	3827	3829	3832	rVB	873	514	0.02%	0.003%
96	14.000	4012	4015	4019	rBV3	1350	1204	0.06%	0.007%
97	14.472	4159	4162	4167	rBV3	905	742	0.03%	0.005%
98	14.582	4193	4196	4199	rBV3	1037	893	0.04%	0.005%
99	14.746	4244	4247	4251	rBV4	1222	1124	0.05%	0.007%
100	14.858	4278	4282	4286	rBV4	1957	1427	0.07%	0.009%

Sum of corrected areas: 16383668

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU041719\
Data File : VU031221.D
Acq On : 16 Apr 2019 19:37
Operator : JC/SP
Sample : K2299-10
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM041719WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU041719\
Data File : VU031221.D
Acq On : 16 Apr 2019 19:37
Operator : JC/SP
Sample : K2299-10
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM041719WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc