

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041819\
 Data File : VU031286.D
 Acq On : 18 Apr 2019 03:34
 Operator : JC/SP
 Sample : K2452-04
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAMZ4

Quant Time: Apr 18 10:00:33 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041819WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Apr 18 08:39:25 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	234777	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	224434	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	89556	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	116467	6.01	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	120.20%
7) Chloroethane-d5	1.68	69	92958	5.79	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	115.80%
11) 1,1-Dichloroethene-d2	2.27	63	164495	4.12	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	82.40%
20) 2-Butanone-d5	4.22	46	256504	57.21	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	114.42%
24) Chloroform-d	4.64	84	148659	5.29	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.80%
26) 1,2-Dichloroethane-d4	5.31	65	86501	6.01	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	120.20%
32) Benzene-d6	5.33	84	307264	5.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.80%
36) 1,2-Dichloropropane-d6	6.33	67	100510	5.24	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.80%
41) Toluene-d8	7.56	98	260514	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.00%
43) trans-1,3-Dichloropropene-	7.85	79	35692	4.62	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.40%
46) 2-Hexanone-d5	8.31	63	196036	51.65	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.30%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	82437	5.49	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	109.80%
64) 1,2-Dichlorobenzene-d4	11.86	152	95736	5.70	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	114.00%


Target Compounds				Ovalue
13) Acetone	2.36	43	12920	3.532 ug/L 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU041819\
Data File : VU031286.D
Acq On : 18 Apr 2019 03:34
Operator : JC/SP
Sample : K2452-04
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 26 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YAMZ4

Quant Time: Apr 18 10:00:33 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041819WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Apr 18 08:39:25 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.532 ug/L

RT: 2.36 min Scan# 396

Delta R.T. 0.01 min

Lab File: VU031286.D

Acq: 18 Apr 2019 03:34

Instrument :
MSVOA_U
ClientSampleId :
YAMZ4

Tot Ion: 43 Resp: 12920

Ion Ratio Lower Upper

43 100

58 27.3 0.0 65.8

