

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041819\
 Data File : VU031291.D
 Acq On : 18 Apr 2019 05:36
 Operator : JC/SP
 Sample : K2452-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAN01

Quant Time: Apr 18 10:19:35 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041819WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Thu Apr 18 08:39:25 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	205225	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	199544	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	78996	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	106879	6.31	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	126.20%
7) Chloroethane-d5	1.68	69	87413	6.23	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	124.60%
11) 1,1-Dichloroethene-d2	2.27	63	162848	4.67	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	93.40%
20) 2-Butanone-d5	4.22	46	238174	60.77	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	121.54%
24) Chloroform-d	4.64	84	142474	5.80	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	116.00%
26) 1,2-Dichloroethane-d4	5.31	65	80178	6.38	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	127.60%
32) Benzene-d6	5.33	84	282255	5.20	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.00%
36) 1,2-Dichloropropane-d6	6.33	67	93797	5.50	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	110.00%
41) Toluene-d8	7.56	98	232624	4.62	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.40%
43) trans-1,3-Dichloropropene-	7.85	79	32455	4.72	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.40%
46) 2-Hexanone-d5	8.31	63	174742	51.79	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	103.58%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	76377	5.72	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	114.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	84574	5.71	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	114.20%

Target Compounds


					Ovalue
2) Dichlorodifluoromethane	1.20	85	15976	0.938 ug/L	99
9) Trichlorofluoromethane	1.88	101	7187	0.259 ug/L	96
34) Trichloroethene	6.18	95	4299	0.263 ug/L	92
47) Tetrachloroethene	8.22	164	140501	11.367 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041819\
Data File : VU031291.D
Acq On : 18 Apr 2019 05:36
Operator : JC/SP
Sample : K2452-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YAN01

Quant Time: Apr 18 10:19:35 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041819WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Apr 18 08:39:25 2019
Response via : Initial Calibration





#2

Dichlorodifluoromethane

Concen: 0.938 ug/L

RT: 1.20 min Scan# 35

Delta R.T. 0.00 min

Lab File: VU031291.D

Acq: 18 Apr 2019 05:36

Instrument :

MSVOA_U

ClientSampleId :


YAN01

Tot Ion: 85 Resp: 15976

Ion Ratio Lower Upper




85 100

87 33.5 26.4 39.6



Abundance Ion 85.00 (84.70 to 85.70): VU031291.D (-153) (-)

Ion 87.00 (86.70 to 87.70): VU031291.D (-153) (-)



#9

Trichlorofluoromethane

Concen: 0.259 ug/L

RT: 1.88 min Scan# 246

Delta R.T. 0.00 min

Lab File: VU031291.D


Acq: 18 Apr 2019 05:36

Tgt Ion:101 Resp: 7187

Ion Ratio Lower Upper



101 100


103 60.6 50.9 76.3



Abundance Ion 101.00 (100.70 to 101.70): VU031291.D (-153) (-)

Ion 103.00 (102.70 to 103.70): VU031291.D (-153) (-)





#34

Trichloroethene

Concen: 0.263 ug/L

RT: 6.18 min Scan# 1584

Delta R.T. 0.00 min

Lab File: VU031291.D

Acq: 18 Apr 2019 05:36

Instrument :

MSVOA_U

ClientSampleId :

YAN01

Tot Ion: 95 Resp: 4299


Ion Ratio Lower Upper

95 100

97 52.1 42.7 79.3

132 84.2 62.7 116.5

130 91.0 69.7 129.4






Abundance Ion 95.00 (94.70 to 95.70): VU0

Ion 96.95 (96.65 to 97.65): VU0

Ion 131.95 (131.65 to 132.65): V

Ion 129.95 (129.65 to 130.65): V



#47

Tetrachloroethene

Concen: 11.367 ug/L

RT: 8.22 min Scan# 2218

Delta R.T. -0.00 min

Lab File: VU031291.D

Acq: 18 Apr 2019 05:36

Tgt Ion:164 Resp: 140501


Ion Ratio Lower Upper

164 100

129 91.2 65.2 121.2

131 92.0 61.9 114.9

166 128.2 91.2 169.4



Abundance Ion 163.90 (163.60 to 164.60): V

Ion 128.95 (128.65 to 129.65): V

Ion 130.95 (130.65 to 131.65): V

Ion 165.90 (165.60 to 166.60): V

