

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041919\
 Data File : VU031318.D
 Acq On : 18 Apr 2019 19:44
 Operator : JC/SP
 Sample : K2451-06
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAMX6

Quant Time: Apr 19 07:06:06 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Apr 19 04:38:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	193438	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	224575	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	72461	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	96595	4.43	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.60%
7) Chloroethane-d5	1.68	69	79467	4.58	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.60%
11) 1,1-Dichloroethene-d2	2.27	63	152227	3.56	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	71.20%
20) 2-Butanone-d5	4.21	46	208595	50.03	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.06%
24) Chloroform-d	4.65	84	133344	4.90	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.00%
26) 1,2-Dichloroethane-d4	5.31	65	77605	5.27	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.40%
32) Benzene-d6	5.34	84	255721	4.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.80%
36) 1,2-Dichloropropane-d6	6.33	67	83552	4.25	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	85.00%
41) Toluene-d8	7.56	98	213564	3.82	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	76.40%
43) trans-1,3-Dichloropropene-	7.85	79	30884	3.92	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.40%
46) 2-Hexanone-d5	8.31	63	152184	41.78	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	83.56%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	70818	4.29	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.80%
64) 1,2-Dichlorobenzene-d4	11.86	152	77536	5.49	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.80%


Target Compounds					Ovalue
13) Acetone	2.34	43	20764	4.477 ug/L	90
47) Tetrachloroethene	8.22	164	8553	0.557 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041919\
Data File : VU031318.D
Acq On : 18 Apr 2019 19:44
Operator : JC/SP
Sample : K2451-06
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YAMX6

Quant Time: Apr 19 07:06:06 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Apr 19 04:38:37 2019
Response via : Initial Calibration





#13

Acetone

Concen: 4.477 ug/L

RT: 2.34 min Scan# 389

Delta R.T. -0.02 min

Lab File: VU031318.D

Acq: 18 Apr 2019 19:44

Instrument :

MSVOA_U

ClientSampleId :


YAMX6

Tot Ion: 43 Resp: 20764

Ion Ratio Lower Upper

43 100

58 37.8 0.0 64.4



Abundance Ion 43.05 (42.75 to 43.75): VU031318.D (-389) (-)

Ion 58.05 (57.75 to 58.75): VU031318.D (-389) (-)

2.34

8000

6000



4000

2000

0

Time-->

2.25 2.30 2.35 2.40 2.45



#47

Tetrachloroethene

Concen: 0.557 ug/L

RT: 8.22 min Scan# 2219

Delta R.T. 0.00 min

Lab File: VU031318.D

Acq: 18 Apr 2019 19:44

Tgt Ion:164 Resp: 8553


Ion Ratio Lower Upper

164 100

129 95.6 61.9 114.9

131 89.9 61.5 114.3

166 119.3 84.6 157.0



Abundance Ion 163.90 (163.60 to 164.60): VU031318.D (-2219) (-)

Ion 128.95 (128.65 to 129.65): VU031318.D (-2219) (-)

Ion 130.95 (130.65 to 131.65): VU031318.D (-2219) (-)

Ion 165.90 (165.60 to 166.60): VU031318.D (-2219) (-)

8000

6000

4000

2000

0

Time-->

8.20 8.25

