

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041919\
 Data File : VU031325.D
 Acq On : 18 Apr 2019 22:35
 Operator : JC/SP
 Sample : K2451-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAMX9

Quant Time: Apr 19 07:25:56 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Apr 19 04:38:37 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	174383	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	176789	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	68484	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	85106	4.33	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	86.60%
7) Chloroethane-d5	1.68	69	74067	4.73	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	94.60%
11) 1,1-Dichloroethene-d2	2.27	63	133500	3.46	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	69.20%
20) 2-Butanone-d5	4.21	46	187907	50.00	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	100.00%
24) Chloroform-d	4.64	84	123225	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.40%
26) 1,2-Dichloroethane-d4	5.31	65	68510	5.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	103.20%
32) Benzene-d6	5.34	84	232745	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.40%
36) 1,2-Dichloropropane-d6	6.33	67	79140	5.11	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.20%
41) Toluene-d8	7.56	98	182000	4.13	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.60%
43) trans-1,3-Dichloropropene-	7.85	79	26964	4.35	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.00%
46) 2-Hexanone-d5	8.31	63	129903	45.31	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.62%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	63878	4.92	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.40%
64) 1,2-Dichlorobenzene-d4	11.86	152	68080	5.10	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.00%


Target Compounds					Ovalue
13) Acetone	2.35	43	12081	2.889 ug/L	89
47) Tetrachloroethene	8.22	164	7915	0.655 ug/L	85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041919\
Data File : VU031325.D
Acq On : 18 Apr 2019 22:35
Operator : JC/SP
Sample : K2451-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YAMX9

Quant Time: Apr 19 07:25:56 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Apr 19 04:38:37 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.889 ug/L

RT: 2.35 min Scan# 392

Delta R.T. -0.01 min

Lab File: VU031325.D

Acq: 18 Apr 2019 22:35

Instrument :

MSVOA_U

ClientSampleId :


YAMX9

Tot Ion: 43 Resp: 12081




Ion Ratio Lower Upper

43 100

58 38.5 0.0 64.4



Abundance Ion 43.05 (42.75 to 43.75): VU031325.D (-392) (-)



#47

Tetrachloroethene

Concen: 0.655 ug/L

RT: 8.22 min Scan# 2219

Delta R.T. 0.00 min

Lab File: VU031325.D

Acq: 18 Apr 2019 22:35

Tgt Ion: 164 Resp: 7915


Ion Ratio Lower Upper

164 100

129 102.7 61.9 114.9

131 96.9 61.5 114.3

166 141.6 84.6 157.0



Abundance Ion 163.90 (163.60 to 164.60): VU031325.D (-2219) (-)

