

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041919\  
 Data File : VU031335.D  
 Acq On : 19 Apr 2019 04:25  
 Operator : JC/SP  
 Sample : K2478-06  
 Misc : 25.0mL/MSVOA U/WATER  
 ALS Vial : 43 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 C0XE7

Quant Time: Apr 19 08:17:55 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR041919WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Fri Apr 19 07:47:43 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.88  | 114  | 235599   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 9.09  | 117  | 238692   | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.48 | 152  | 88813    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.40   | 65    | 91139    | 3.43     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 68.60%  |
| 7) Chloroethane-d5             | 1.68   | 69    | 75948    | 3.59     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 71.80%  |
| 11) 1,1-Dichloroethene-d2      | 2.27   | 63    | 139577   | 2.68     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 53.60%# |
| 20) 2-Butanone-d5              | 4.20   | 46    | 290709   | 57.25    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 114.50% |
| 24) Chloroform-d               | 4.64   | 84    | 174582   | 5.27     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 105.40% |
| 26) 1,2-Dichloroethane-d4      | 5.31   | 65    | 96272    | 5.37     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 107.40% |
| 32) Benzene-d6                 | 5.34   | 84    | 326208   | 4.90     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 98.00%  |
| 36) 1,2-Dichloropropane-d6     | 6.33   | 67    | 116750   | 5.59     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 111.80% |
| 41) Toluene-d8                 | 7.56   | 98    | 259151   | 4.36     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 87.20%  |
| 43) trans-1,3-Dichloropropene- | 7.85   | 79    | 36380    | 4.35     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 87.00%  |
| 46) 2-Hexanone-d5              | 8.31   | 63    | 192513   | 49.73    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 99.46%  |
| 57) 1,1,2,2-Tetrachloroethane- | 10.43  | 84    | 93780    | 5.35     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 107.00% |
| 64) 1,2-Dichlorobenzene-d4     | 11.86  | 152   | 97432    | 5.63     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 112.60% |


| Target Compounds |      |    |       |            | Ovalue |
|------------------|------|----|-------|------------|--------|
| 13) Acetone      | 2.34 | 43 | 47594 | 8.425 ug/L | 98     |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU041919\  
Data File : VU031335.D  
Acq On : 19 Apr 2019 04:25  
Operator : JC/SP  
Sample : K2478-06  
Misc : 25.0mL/MSVOA U/WATER  
ALS Vial : 43 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
C0XE7

Quant Time: Apr 19 08:17:55 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_U\METHOD\SOMUTR041919WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Fri Apr 19 07:47:43 2019  
Response via : Initial Calibration





#13

Acetone

Concen: 8.425 ug/L

RT: 2.34 min Scan# 388

Delta R.T. -0.02 min

Lab File: VU031335.D

Acq: 19 Apr 2019 04:25

Instrument :  
MSVOA\_U  
ClientSampleId :  
C0XE7

Tot Ion: 43 Resp: 47594

Ion Ratio Lower Upper

43 100

58 30.9 0.0 64.4

