

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041919\
 Data File : VU031343.D
 Acq On : 19 Apr 2019 07:41
 Operator : JC/SP
 Sample : K2451-19
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YAMY9

Quant Time: Apr 19 08:50:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041919WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Apr 19 07:47:43 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	202172	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	204831	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	73457	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	87846	3.85	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.00%
7) Chloroethane-d5	1.68	69	75026	4.14	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.80%
11) 1,1-Dichloroethene-d2	2.27	63	135770	3.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.80%
20) 2-Butanone-d5	4.20	46	270340	62.04	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	124.08%
24) Chloroform-d	4.64	84	160449	5.64	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	112.80%
26) 1,2-Dichloroethane-d4	5.31	65	87277	5.67	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	113.40%
32) Benzene-d6	5.34	84	289141	5.06	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.20%
36) 1,2-Dichloropropane-d6	6.33	67	89922	5.02	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.40%
41) Toluene-d8	7.56	98	213513	4.18	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.60%
43) trans-1,3-Dichloropropene-	7.85	79	31085	4.33	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.60%
46) 2-Hexanone-d5	8.31	63	167635	50.46	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.92%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	77703	5.16	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.20%
64) 1,2-Dichlorobenzene-d4	11.86	152	78315	5.47	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	109.40%


Target Compounds					Ovalue
13) Acetone	2.34	43	18673	3.852 ug/L	91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU041919\
Data File : VU031343.D
Acq On : 19 Apr 2019 07:41
Operator : JC/SP
Sample : K2451-19
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 51 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YAMY9

Quant Time: Apr 19 08:50:41 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR041919WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Apr 19 07:47:43 2019
Response via : Initial Calibration





#13

Acetone

Concen: 3.852 ug/L

RT: 2.34 min Scan# 388

Delta R.T. -0.02 min

Lab File: VU031343.D

Acq: 19 Apr 2019 07:41

Instrument :
MSVOA_U
ClientSampleId :
YAMY9

Tot Ion: 43 Resp: 18673

Ion Ratio Lower Upper

43 100

58 37.1 0.0 64.4

