




Data File : VU031366.D
Acq On : 19 Apr 2019 17:57
Operator : JC/SP
Sample : K2455-15
Misc : 5.08g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Apr 19 23:16:28 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM041719WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 19 23:12:12 2019
Response via : Initial Calibration



TIC: VU031366.D

(13) Acetone (T)




2.350min (+0.013) 1.46ug/L

response 4648

Ion	Exp%	Act%
43.00	100	100
58.00	32.50	36.96
0.00	0.00	0.00
0.00	0.00	0.00

Data File : VU031366.D
Acq On : 19 Apr 2019 17:57
Operator : JC/SP
Sample : K2455-15
Misc : 5.08g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Apr 19 23:16:28 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM041719WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 19 23:12:12 2019
Response via : Initial Calibration



TIC: VU031366.D

(13) Acetone (T)

2.350min (+0.013) 3.13ug/L m

response 9979

Ion	Exp%	Act%
43.00	100	100
58.00	32.50	17.22
0.00	0.00	0.00
0.00	0.00	0.00

Data File : VU031366.D
Acq On : 19 Apr 2019 17:57
Operator : JC/SP
Sample : K2455-15
Misc : 5.08g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Apr 20 00:47:31 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM041719WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 19 23:12:12 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	616757	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	588725	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.49	152	289716	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	167324	29.46	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	58.92%#
7) Chloroethane-d5	1.68	69	127634	25.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	51.76%#
11) 1,1-Dichloroethene-d2	2.25	63	272992	24.26	ug/L	-0.02
Spiked Amount	50.000	Range	60 - 125	Recovery	=	48.52%#
21) 2-Butanone-d5	4.20	46	295426	71.41	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	71.41%
24) Chloroform-d	4.64	84	335308	35.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	70.76%
26) 1,2-Dichloroethane-d4	5.31	65	194708	33.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	66.72%#
32) Benzene-d6	5.33	84	644112	34.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	69.22%#
36) 1,2-Dichloropropane-d6	6.33	67	218654	36.20	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	72.40%
41) Toluene-d8	7.56	98	589291	35.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	71.96%#
43) trans-1,3-Dichloropropene-	7.85	79	97588	33.80	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.60%
47) 2-Hexanone-d5	8.34	63	229800	80.59	ug/L	0.03
Spiked Amount	100.000	Range	45 - 130	Recovery	=	80.59%
57) 1,1,2,2-Tetrachloroethane-	10.44	84	298098	35.55	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	71.10%
64) 1,2-Dichlorobenzene-d4	11.86	152	248916	37.46	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	74.92%#

Target Compounds

					Qvalue
13) Acetone	2.35	43	9979m	3.135	ug/L
15) Methyl Acetate	2.63	43	12016	2.169	ug/L # 67
16) Methylene chloride	2.69	84	2600	0.553	ug/L # 89
52) Ethylbenzene	9.25	91	278028	12.966	ug/L 98
54) o-xylene	9.78	106	32085	4.187	ug/L 87
56) Isopropylbenzene	10.17	105	56066	2.855	ug/L 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VU031366.D
Acq On : 19 Apr 2019 17:57
Operator : JC/SP
Sample : K2455-15
Misc : 5.08g/5mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 14 Sample Multiplier: 1

Quant Time: Apr 20 00:47:31 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM041719WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 19 23:12:12 2019
Response via : Initial Calibration

