

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
 Data File : VU048140.D
 Acq On : 20 Apr 2022 14:14
 Operator : SY/MD
 Sample : N2485-02
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0HX6

Quant Time: Apr 21 02:42:02 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 21 02:37:57 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	331532	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	354538	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	174811	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	113538	47.226	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	94.460%
7) Chloroethane-d5	1.916	69	93214	49.172	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.340%
11) 1,1-Dichloroethene-d2	2.568	63	145759	33.138	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.280%
21) 2-Butanone-d5	4.629	46	188482	91.339	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.340%
24) Chloroform-d	5.067	84	204546	46.499	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.000%
26) 1,2-Dichloroethane-d4	5.703	65	127240	47.161	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.320%
32) Benzene-d6	5.729	84	413193	46.316	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.640%
36) 1,2-Dichloropropane-d6	6.694	67	134421	49.063	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.120%
41) Toluene-d8	7.899	98	356059	40.965	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	81.920%
43) trans-1,3-Dichloroprop...	8.182	79	56205	40.493	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.980%
47) 2-Hexanone-d5	8.636	63	130005	81.057	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	81.060%
56) 1,1,2,2-Tetrachloroeth...	10.758	84	209953	44.653	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.300%
66) 1,2-Dichlorobenzene-d4	12.195	152	148986	47.905	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.800%
Target Compounds					Qvalue	
13) Acetone	2.636	43	9197	4.789	ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
Data File : VU048140.D
Acq On : 20 Apr 2022 14:14
Operator : SY/MD
Sample : N2485-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0HX6


Quant Time: Apr 21 02:42:02 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 21 02:37:57 2022
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.789 ug/L
 RT: 2.636 min Scan# 40
 Delta R.T. 0.013 min
 Lab File: VU048140.D
 Acq: 20 Apr 2022 14:14

Instrument :
 MSVOA_U
 ClientSampleId :
 C0HX6



Tgt Ion: 43 Resp: 9197
 Ion Ratio Lower Upper
 43 100
 58 35.2 0.0 70.0

