

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
 Data File : VU048145.D
 Acq On : 20 Apr 2022 16:09
 Operator : SY/MD
 Sample : N2485-04
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0HX9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

Signal : TIC: VU048145.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.600	74	81	95	rBV	149017	172523	14.53%	1.806%
2	1.916	171	179	202	rVB	115835	167109	14.07%	1.749%
3	2.568	370	382	395	rBV	253918	417909	35.19%	4.375%
4	2.726	430	431	432	rBV	341	112	0.01%	0.001%
5	3.047	529	531	534	rBV3	384	268	0.02%	0.003%
6	3.121	551	554	556	rBV	135	75	0.01%	0.001%
7	3.166	564	568	569	rBV2	599	390	0.03%	0.004%
8	3.231	586	588	589	rBV	190	64	0.01%	0.001%
9	3.346	622	624	626	rVB	163	48	0.00%	0.001%
10	3.369	629	631	632	rBV	166	75	0.01%	0.001%
11	3.379	632	634	639	rVB2	217	155	0.01%	0.002%
12	3.491	666	669	671	rBV2	150	88	0.01%	0.001%
13	3.507	671	674	675	rBV	231	112	0.01%	0.001%
14	3.607	702	705	708	rBV2	267	191	0.02%	0.002%
15	3.658	719	721	722	rVB	116	30	0.00%	0.000%
16	3.713	734	738	740	rVB2	237	156	0.01%	0.002%
17	3.726	740	742	744	rBV	95	52	0.00%	0.001%
18	3.745	745	748	753	rVB2	287	271	0.02%	0.003%
19	3.780	753	759	760	rBV2	153	133	0.01%	0.001%
20	3.793	761	763	764	rVV2	174	48	0.00%	0.001%
21	3.832	773	775	777	rBV	123	72	0.01%	0.001%
22	3.922	799	803	809	rBV3	186	247	0.02%	0.003%
23	3.964	814	816	820	rVB	81	43	0.00%	0.000%
24	3.989	820	824	825	rBV2	255	161	0.01%	0.002%
25	4.015	829	832	835	rVB	184	121	0.01%	0.001%
26	4.041	836	840	842	rBV	171	131	0.01%	0.001%
27	4.124	864	866	868	rBV	106	54	0.00%	0.001%
28	4.144	868	872	875	rBV	184	145	0.01%	0.002%
29	4.189	881	886	887	rBV	280	176	0.01%	0.002%
30	4.211	891	893	897	rVV2	224	134	0.01%	0.001%
31	4.243	900	903	906	rVV3	298	244	0.02%	0.003%
32	4.276	910	913	916	rVB	184	94	0.01%	0.001%
33	4.295	916	919	922	rBV2	123	78	0.01%	0.001%
34	4.407	948	954	955	rBV2	184	144	0.01%	0.002%
35	4.436	962	963	967	rVB2	133	55	0.00%	0.001%
36	4.494	979	981	982	rBV2	167	59	0.00%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
 Data File : VU048145.D
 Acq On : 20 Apr 2022 16:09
 Operator : SY/MD
 Sample : N2485-04
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0HX9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

37	4.523	987	990	992	rBV2	126	82	0.01%	0.001%
38	4.539	992	995	1000	rVB	171	135	0.01%	0.001%
39	4.620	1008	1020	1052	rBV	129161	314941	26.52%	3.297%
40	5.067	1142	1159	1181	rBV	220603	482900	40.66%	5.055%
41	5.224	1207	1208	1210	rVB	128	48	0.00%	0.001%
42	5.288	1223	1228	1230	rBV2	537	499	0.04%	0.005%
43	5.321	1236	1238	1241	rVB	416	167	0.01%	0.002%
44	5.333	1241	1242	1243	rBV	133	39	0.00%	0.000%
45	5.369	1251	1253	1254	rBV	71	29	0.00%	0.000%
46	5.378	1254	1256	1258	rVB2	170	70	0.01%	0.001%
47	5.391	1258	1260	1261	rBV2	95	22	0.00%	0.000%
48	5.401	1261	1263	1266	rVB	300	146	0.01%	0.002%
49	5.423	1266	1270	1271	rBV2	170	132	0.01%	0.001%
50	5.436	1271	1274	1277	rVB	192	106	0.01%	0.001%
51	5.549	1307	1309	1311	rVB	73	30	0.00%	0.000%
52	5.565	1311	1314	1316	rBV2	114	72	0.01%	0.001%
53	5.597	1322	1324	1326	rBV2	72	40	0.00%	0.000%
54	5.616	1327	1330	1331	rBV	78	45	0.00%	0.000%
55	5.649	1335	1340	1342	rBV2	161	141	0.01%	0.001%
56	5.729	1342	1365	1394	rBV2	438325	1187582	100.00%	12.432%
57	6.031	1454	1459	1461	rBV2	353	340	0.03%	0.004%
58	6.115	1483	1485	1491	rVB2	474	339	0.03%	0.004%
59	6.140	1491	1493	1494	rBV2	80	38	0.00%	0.000%
60	6.169	1497	1502	1504	rBV2	325	247	0.02%	0.003%
61	6.182	1504	1506	1509	rVB	214	79	0.01%	0.001%
62	6.250	1512	1527	1548	rBV	380155	727329	61.24%	7.614%
63	6.488	1597	1601	1604	rBV2	239	169	0.01%	0.002%
64	6.533	1606	1615	1623	rBV6	2095	3699	0.31%	0.039%
65	6.610	1635	1639	1641	rBV2	298	245	0.02%	0.003%
66	6.690	1650	1664	1687	rBV	273193	539124	45.40%	5.644%
67	6.880	1720	1723	1725	rBV	307	184	0.02%	0.002%
68	7.005	1759	1762	1765	rBV2	221	160	0.01%	0.002%
69	7.128	1794	1800	1806	rVB4	568	757	0.06%	0.008%
70	7.182	1806	1817	1829	rBV5	2515	4777	0.40%	0.050%
71	7.475	1906	1908	1910	rBV	169	79	0.01%	0.001%
72	7.504	1914	1917	1921	rBV2	161	169	0.01%	0.002%
73	7.565	1924	1936	1953	rBV	137789	243529	20.51%	2.549%
74	7.742	1987	1991	1996	rBV2	232	262	0.02%	0.003%
75	7.899	2026	2040	2055	rBV	521149	908463	76.50%	9.510%
76	8.179	2116	2127	2148	rBV	98225	169364	14.26%	1.773%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
 Data File : VU048145.D
 Acq On : 20 Apr 2022 16:09
 Operator : SY/MD
 Sample : N2485-04
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0HX9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

77	8.455	2210	2213	2217	rBV4	468	460	0.04%	0.005%
78	8.632	2255	2268	2298	rBV	371312	689854	58.09%	7.222%
79	8.960	2368	2370	2372	rBV	185	85	0.01%	0.001%
80	8.976	2372	2375	2378	rVV2	192	145	0.01%	0.002%
81	9.131	2420	2423	2425	rBV2	291	210	0.02%	0.002%
82	9.263	2461	2464	2466	rBV	184	94	0.01%	0.001%
83	9.417	2499	2512	2536	rBV	575095	974484	82.06%	10.202%
84	9.693	2593	2598	2599	rBV	627	467	0.04%	0.005%
85	9.735	2610	2611	2617	rVB2	201	122	0.01%	0.001%
86	9.764	2617	2620	2623	rBV2	134	114	0.01%	0.001%
87	9.783	2623	2626	2628	rBV2	232	154	0.01%	0.002%
88	9.935	2670	2673	2674	rBV2	199	126	0.01%	0.001%
89	9.960	2678	2681	2686	rVB2	331	254	0.02%	0.003%
90	10.047	2706	2708	2714	rBV3	227	208	0.02%	0.002%
91	10.574	2865	2872	2876	rVB3	1241	1421	0.12%	0.015%
92	10.671	2897	2902	2911	rVB3	2328	2858	0.24%	0.030%
93	10.754	2916	2928	2949	rBV	417168	678840	57.16%	7.107%
94	11.115	3039	3040	3046	rBV3	393	275	0.02%	0.003%
95	11.693	3215	3220	3225	rBV4	1525	1777	0.15%	0.019%
96	11.812	3241	3257	3277	rBV	601098	958388	80.70%	10.033%
97	12.066	3328	3336	3351	rVB2	7001	12468	1.05%	0.131%
98	12.192	3362	3375	3392	rBV	535016	881095	74.19%	9.224%




Sum of corrected areas: 9552245

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
Data File : VU048145.D
Acq On : 20 Apr 2022 16:09
Operator : SY/MD
Sample : N2485-04
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0HX9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
Data File : VU048145.D
Acq On : 20 Apr 2022 16:09
Operator : SY/MD
Sample : N2485-04
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0HX9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
Data File : VU048145.D
Acq On : 20 Apr 2022 16:09
Operator : SY/MD
Sample : N2485-04
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0HX9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc