

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
 Data File : VU048153.D
 Acq On : 20 Apr 2022 19:13
 Operator : SY/MD
 Sample : N2485-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0J18

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

Signal : TIC: VU048153.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.501	40	50	52	rBV2	18639	28329	0.23%	0.076%
2	1.600	74	81	101	rVB	144766	176751	1.46%	0.474%
3	1.916	171	179	198	rVB	113645	156328	1.29%	0.419%
4	2.572	370	383	397	rBV	248776	410948	3.40%	1.102%
5	2.790	438	451	471	rVB3	4356	12099	0.10%	0.032%
6	2.906	485	487	492	rBV2	424	380	0.00%	0.001%
7	2.951	498	501	502	rBV2	569	361	0.00%	0.001%
8	3.047	527	531	542	rVB6	1081	1630	0.01%	0.004%
9	3.096	542	546	551	rBV4	485	560	0.00%	0.002%
10	3.121	551	554	557	rBV2	230	220	0.00%	0.001%
11	3.182	563	573	574	rBV4	3396	3351	0.03%	0.009%
12	3.314	611	614	619	rVV2	357	331	0.00%	0.001%
13	3.610	702	706	711	rVB2	311	236	0.00%	0.001%
14	3.809	763	768	771	rBV	240	203	0.00%	0.001%
15	3.989	818	824	828	rBV4	387	372	0.00%	0.001%
16	4.530	984	992	1004	rBV4	1816	3439	0.03%	0.009%
17	4.626	1008	1022	1054	rBV	125671	326725	2.70%	0.876%
18	5.067	1142	1159	1181	rBV	213820	473077	3.91%	1.268%
19	5.169	1188	1191	1197	rVB3	707	722	0.01%	0.002%
20	5.214	1200	1205	1209	rBV	387	340	0.00%	0.001%
21	5.285	1223	1227	1230	rBV3	601	626	0.01%	0.002%
22	5.382	1252	1257	1258	rBV2	769	493	0.00%	0.001%
23	5.526	1291	1302	1315	rVV5	5086	10935	0.09%	0.029%
24	5.645	1334	1339	1340	rBV2	270	207	0.00%	0.001%
25	5.729	1343	1365	1369	rBV2	444094	1068086	8.83%	2.863%
26	5.777	1370	1380	1425	rVB	2818634	5716716	47.28%	15.326%
27	6.250	1513	1527	1548	rBV	404925	768113	6.35%	2.059%
28	6.414	1574	1578	1581	rBV2	440	306	0.00%	0.001%
29	6.491	1597	1602	1603	rBV	278	246	0.00%	0.001%
30	6.533	1607	1615	1623	rBV3	2074	3456	0.03%	0.009%
31	6.591	1629	1633	1638	rVB3	475	395	0.00%	0.001%
32	6.694	1650	1665	1687	rBV	274104	531738	4.40%	1.425%
33	6.809	1696	1701	1707	rVB5	1056	1188	0.01%	0.003%
34	6.877	1719	1722	1724	rVV3	259	183	0.00%	0.000%
35	7.034	1764	1771	1772	rBV	287	298	0.00%	0.001%
36	7.182	1809	1817	1827	rVV4	2616	4507	0.04%	0.012%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
 Data File : VU048153.D
 Acq On : 20 Apr 2022 19:13
 Operator : SY/MD
 Sample : N2485-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0J18

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

37	7.308	1848	1856	1858	rVB3	393	306	0.00%	0.001%
38	7.324	1858	1861	1865	rBV	235	189	0.00%	0.001%
39	7.568	1924	1937	1956	rBV	136575	244341	2.02%	0.655%
40	7.681	1967	1972	1973	rBV2	1351	852	0.01%	0.002%
41	7.780	1995	2003	2006	rBV3	356	435	0.00%	0.001%
42	7.899	2026	2040	2057	rBV	530778	919041	7.60%	2.464%
43	8.179	2113	2127	2148	rBV2	97493	170019	1.41%	0.456%
44	8.420	2200	2202	2207	rVB2	312	226	0.00%	0.001%
45	8.468	2214	2217	2226	rVB3	816	946	0.01%	0.003%
46	8.552	2237	2243	2252	rBV4	2748	3784	0.03%	0.010%
47	8.636	2256	2269	2298	rBV	380815	711398	5.88%	1.907%
48	8.828	2327	2329	2334	rVB4	379	236	0.00%	0.001%
49	9.111	2414	2417	2421	rVB2	355	252	0.00%	0.001%
50	9.134	2421	2424	2426	rBV	384	268	0.00%	0.001%
51	9.169	2430	2435	2438	rBV2	325	303	0.00%	0.001%
52	9.230	2450	2454	2459	rBV2	233	213	0.00%	0.001%
53	9.291	2470	2473	2475	rBV	279	203	0.00%	0.001%
54	9.449	2495	2522	2569	rBV	6746109	12090130	100.00%	32.412%
55	9.668	2588	2590	2592	rBV3	478	327	0.00%	0.001%
56	9.693	2595	2598	2605	rVB5	1625	1704	0.01%	0.005%
57	9.790	2625	2628	2631	rBV2	303	202	0.00%	0.001%
58	9.864	2648	2651	2656	rVB3	430	349	0.00%	0.001%
59	10.009	2691	2696	2699	rBV2	322	353	0.00%	0.001%
60	10.063	2710	2713	2716	rVV2	351	235	0.00%	0.001%
61	10.105	2716	2726	2729	rVV4	637	829	0.01%	0.002%
62	10.346	2798	2801	2804	rBV2	415	317	0.00%	0.001%
63	10.571	2868	2871	2875	rVB3	357	289	0.00%	0.001%
64	10.671	2895	2902	2909	rBV4	2383	3449	0.03%	0.009%
65	10.758	2915	2929	2949	rBV	412577	671597	5.55%	1.800%
66	10.864	2959	2962	2965	rVV3	357	263	0.00%	0.001%
67	10.896	2965	2972	2979	rVB3	1616	1875	0.02%	0.005%
68	10.983	2994	2999	3001	rVV3	481	447	0.00%	0.001%
69	10.996	3001	3003	3008	rVB2	578	370	0.00%	0.001%
70	11.153	3049	3052	3056	rVV3	494	298	0.00%	0.001%
71	11.205	3065	3068	3071	rBV3	298	211	0.00%	0.001%
72	11.343	3108	3111	3113	rBV2	278	199	0.00%	0.001%
73	11.462	3137	3148	3149	rBV2	1177	1597	0.01%	0.004%
74	11.529	3165	3169	3172	rBV2	245	225	0.00%	0.001%
75	11.578	3182	3184	3188	rBV	274	209	0.00%	0.001%
76	11.687	3214	3218	3219	rBV2	573	323	0.00%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
 Data File : VU048153.D
 Acq On : 20 Apr 2022 19:13
 Operator : SY/MD
 Sample : N2485-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0J18

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

77	11.745	3225	3236	3246	rBV	246282	389720	3.22%	1.045%
78	11.835	3246	3264	3286	rVB2	3423057	6323770	52.31%	16.953%
79	12.063	3327	3335	3347	rBV3	8687	14498	0.12%	0.039%
80	12.211	3359	3381	3401	rBV3	2835776	5282556	43.69%	14.162%
81	12.388	3434	3436	3439	rBV3	405	218	0.00%	0.001%
82	12.407	3439	3442	3443	rBV	574	310	0.00%	0.001%
83	12.600	3499	3502	3508	rVB2	555	615	0.01%	0.002%
84	12.639	3512	3514	3519	rBV2	474	380	0.00%	0.001%
85	12.664	3519	3522	3523	rBV3	423	220	0.00%	0.001%
86	12.774	3553	3556	3562	rVB4	895	747	0.01%	0.002%
87	12.873	3583	3587	3591	rBV3	318	339	0.00%	0.001%
88	12.976	3613	3619	3626	rBV4	1293	1724	0.01%	0.005%
89	13.057	3641	3644	3648	rBV2	516	355	0.00%	0.001%
90	13.147	3670	3672	3674	rBV2	420	261	0.00%	0.001%
91	13.221	3688	3695	3704	rVB5	2175	2595	0.02%	0.007%
92	13.282	3712	3714	3716	rBV2	444	284	0.00%	0.001%
93	13.841	3875	3888	3906	rBV	363136	575033	4.76%	1.542%
94	13.957	3922	3924	3926	rBV2	399	226	0.00%	0.001%
95	14.089	3961	3965	3967	rBV2	796	658	0.01%	0.002%
96	14.330	4029	4040	4055	rBV	72997	115982	0.96%	0.311%
97	14.703	4153	4156	4158	rBV3	777	549	0.00%	0.001%
98	15.381	4364	4367	4368	rBV	703	403	0.00%	0.001%
99	15.413	4369	4377	4387	rVB4	7900	13765	0.11%	0.037%
100	15.999	4550	4559	4571	rBV3	26968	44045	0.36%	0.118%

Sum of corrected areas: 37301958

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
Data File : VU048153.D
Acq On : 20 Apr 2022 19:13
Operator : SY/MD
Sample : N2485-12
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0J18

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042022\
Data File : VU048153.D
Acq On : 20 Apr 2022 19:13
Operator : SY/MD
Sample : N2485-12
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0J18

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc