

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042122\
 Data File : VU048169.D
 Acq On : 21 Apr 2022 13:48
 Operator : SY/MD
 Sample : N2486-12 100X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0J46

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M

Title : VOC Analysis

Signal : TIC: VU048169.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.600	74	81	99	rVB	136032	160560	13.74%	1.690%
2	1.912	170	178	200	rVB	105579	153251	13.11%	1.613%
3	2.568	369	382	399	rBV	240719	397342	33.99%	4.183%
4	2.684	414	418	421	rBV3	279	290	0.02%	0.003%
5	2.758	433	441	453	rBV2	3282	5690	0.49%	0.060%
6	2.954	498	502	507	rBV2	338	389	0.03%	0.004%
7	3.006	516	518	521	rVB	429	235	0.02%	0.002%
8	3.051	522	532	540	rBV6	1381	2329	0.20%	0.025%
9	3.189	560	575	591	rBV	23390	54676	4.68%	0.576%
10	3.395	635	639	643	rVB2	356	302	0.03%	0.003%
11	3.443	652	654	660	rVB2	295	219	0.02%	0.002%
12	3.571	691	694	699	rBV	226	197	0.02%	0.002%
13	3.825	771	773	780	rVB3	221	174	0.01%	0.002%
14	3.858	780	783	787	rBV	408	240	0.02%	0.003%
15	4.051	840	843	847	rVV2	275	186	0.02%	0.002%
16	4.073	847	850	857	rVB2	178	190	0.02%	0.002%
17	4.153	871	875	879	rVB3	311	267	0.02%	0.003%
18	4.195	885	888	892	rVB2	371	191	0.02%	0.002%
19	4.366	937	941	944	rBV	313	209	0.02%	0.002%
20	4.401	948	952	956	rVB2	272	230	0.02%	0.002%
21	4.443	956	965	968	rBV2	236	359	0.03%	0.004%
22	4.517	984	988	993	rVB2	218	206	0.02%	0.002%
23	4.620	1006	1020	1051	rBV	134292	327245	27.99%	3.445%
24	4.825	1082	1084	1090	rVB3	473	372	0.03%	0.004%
25	5.063	1142	1158	1185	rBV	207149	454799	38.91%	4.788%
26	5.208	1200	1203	1207	rVB4	327	221	0.02%	0.002%
27	5.279	1219	1225	1227	rBV2	529	476	0.04%	0.005%
28	5.343	1240	1245	1248	rBV2	284	288	0.02%	0.003%
29	5.459	1273	1281	1283	rBV2	267	374	0.03%	0.004%
30	5.510	1291	1297	1299	rBV2	253	247	0.02%	0.003%
31	5.726	1342	1364	1406	rBV2	415693	1168948	100.00%	12.305%
32	5.980	1440	1443	1445	rVV2	316	197	0.02%	0.002%
33	6.118	1483	1486	1490	rVV2	323	261	0.02%	0.003%
34	6.250	1513	1527	1559	rBV	380433	724787	62.00%	7.630%
35	6.430	1581	1583	1591	rVB3	219	230	0.02%	0.002%
36	6.533	1608	1615	1625	rVV6	1649	2844	0.24%	0.030%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042122\
 Data File : VU048169.D
 Acq On : 21 Apr 2022 13:48
 Operator : SY/MD
 Sample : N2486-12 100X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0J46

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

37	6.690	1650	1664	1687	rBV	263773	515246	44.08%	5.424%
38	6.812	1701	1702	1708	rVB3	835	489	0.04%	0.005%
39	7.044	1768	1774	1775	rBV2	332	256	0.02%	0.003%
40	7.147	1802	1806	1809	rBV2	206	200	0.02%	0.002%
41	7.185	1809	1818	1827	rVB6	2547	3874	0.33%	0.041%
42	7.427	1889	1893	1897	rVB2	185	168	0.01%	0.002%
43	7.565	1924	1936	1956	rBV	122340	217820	18.63%	2.293%
44	7.687	1967	1974	1982	rBV6	1431	2446	0.21%	0.026%
45	7.738	1987	1990	1995	rBV2	291	200	0.02%	0.002%
46	7.899	2026	2040	2056	rBV	501301	864434	73.95%	9.100%
47	8.182	2115	2128	2142	rBV	86482	147190	12.59%	1.549%
48	8.423	2201	2203	2208	rVB3	326	207	0.02%	0.002%
49	8.452	2208	2212	2215	rBV2	225	224	0.02%	0.002%
50	8.484	2219	2222	2223	rBV	383	230	0.02%	0.002%
51	8.632	2256	2268	2306	rBV	350881	659394	56.41%	6.941%
52	8.835	2328	2331	2334	rBV2	213	179	0.02%	0.002%
53	8.893	2346	2349	2352	rBV	350	198	0.02%	0.002%
54	8.947	2363	2366	2369	rBV	253	203	0.02%	0.002%
55	8.983	2373	2377	2381	rBV2	533	463	0.04%	0.005%
56	9.018	2385	2388	2391	rBV2	280	271	0.02%	0.003%
57	9.121	2417	2420	2423	rBV	235	188	0.02%	0.002%
58	9.240	2451	2457	2462	rBV2	300	395	0.03%	0.004%
59	9.417	2499	2512	2555	rBV	569812	1082765	92.63%	11.398%
60	9.562	2555	2557	2560	rVV2	247	182	0.02%	0.002%
61	9.642	2578	2582	2588	rVB3	389	337	0.03%	0.004%
62	9.693	2590	2598	2605	rVV4	758	1192	0.10%	0.013%
63	9.722	2605	2607	2614	rVB2	195	180	0.02%	0.002%
64	10.166	2742	2745	2748	rBV	296	204	0.02%	0.002%
65	10.266	2773	2776	2780	rVB2	254	172	0.01%	0.002%
66	10.372	2805	2809	2816	rBV2	281	390	0.03%	0.004%
67	10.481	2840	2843	2846	rBV2	296	207	0.02%	0.002%
68	10.616	2879	2885	2887	rBV	214	261	0.02%	0.003%
69	10.674	2896	2903	2909	rBB3	1284	1554	0.13%	0.016%
70	10.758	2915	2929	2953	rVV	394681	643031	55.01%	6.769%
71	10.947	2983	2988	2992	rBV2	401	388	0.03%	0.004%
72	11.028	3008	3013	3015	rBV	247	209	0.02%	0.002%
73	11.092	3030	3033	3039	rBV2	182	231	0.02%	0.002%
74	11.295	3093	3096	3101	rBV2	325	346	0.03%	0.004%
75	11.324	3101	3105	3108	rVV2	177	185	0.02%	0.002%
76	11.465	3146	3149	3157	rVB2	1042	1249	0.11%	0.013%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042122\
 Data File : VU048169.D
 Acq On : 21 Apr 2022 13:48
 Operator : SY/MD
 Sample : N2486-12 100X
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0J46

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
 Title : VOC Analysis

77	11.552	3173	3176	3180	rVB2	308	204	0.02%	0.002%
78	11.693	3216	3220	3223	rBV2	362	336	0.03%	0.004%
79	11.745	3229	3236	3244	rBV2	3095	4608	0.39%	0.049%
80	11.812	3244	3257	3283	rVB	550163	978543	83.71%	10.301%
81	11.902	3283	3285	3287	rBV3	467	258	0.02%	0.003%
82	11.970	3303	3306	3309	rBV6	469	291	0.02%	0.003%
83	12.018	3318	3321	3323	rBV	419	255	0.02%	0.003%
84	12.140	3353	3359	3363	rBV3	476	665	0.06%	0.007%
85	12.195	3363	3376	3396	rBV	507856	881446	75.41%	9.279%
86	12.523	3476	3478	3484	rVB3	449	389	0.03%	0.004%
87	12.578	3489	3495	3497	rBV2	504	609	0.05%	0.006%
88	12.639	3509	3514	3516	rBV2	436	351	0.03%	0.004%
89	12.764	3551	3553	3556	rBV2	304	190	0.02%	0.002%
90	12.838	3572	3576	3579	rBV3	356	380	0.03%	0.004%
91	12.886	3588	3591	3595	rVB2	296	215	0.02%	0.002%
92	12.947	3607	3610	3614	rVV2	452	361	0.03%	0.004%
93	12.967	3614	3616	3619	rVV2	375	251	0.02%	0.003%
94	13.008	3621	3629	3631	rBV	432	502	0.04%	0.005%
95	13.285	3713	3715	3721	rBV2	268	234	0.02%	0.002%
96	13.507	3782	3784	3787	rBV2	262	181	0.02%	0.002%
97	13.844	3880	3889	3904	rBV4	11974	19262	1.65%	0.203%
98	13.899	3904	3906	3908	rBV	282	169	0.01%	0.002%
99	14.098	3962	3968	3975	rBV3	597	1034	0.09%	0.011%
100	14.333	4034	4041	4051	rBV4	1410	2474	0.21%	0.026%

Sum of corrected areas: 9499587

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042122\
Data File : VU048169.D
Acq On : 21 Apr 2022 13:48
Operator : SY/MD
Sample : N2486-12 100X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0J46

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042122\
Data File : VU048169.D
Acq On : 21 Apr 2022 13:48
Operator : SY/MD
Sample : N2486-12 100X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0J46

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM032422WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
				#	RT Resp Conc