

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042319\
 Data File : VU031449.D
 Acq On : 23 Apr 2019 19:52
 Operator : JC/SP
 Sample : VU0423WBL03
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK43

Quant Time: Apr 24 08:47:10 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042319WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 24 08:41:52 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.88	114	719778	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.09	117	662769	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.48	152	271526	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.40	65	269889	46.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.54%
7) Chloroethane-d5	1.68	69	219364	49.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	98.80%
11) 1,1-Dichloroethene-d2	2.27	63	392625	38.70	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	77.40%
21) 2-Butanone-d5	4.19	46	469027	107.56	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.56%
24) Chloroform-d	4.64	84	451068	48.53	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.06%
26) 1,2-Dichloroethane-d4	5.31	65	279933	50.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.56%
32) Benzene-d6	5.34	84	964236	50.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.72%
36) 1,2-Dichloropropane-d6	6.32	67	310629	50.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.84%
41) Toluene-d8	7.56	98	841448	49.20	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.40%
43) trans-1,3-Dichloropropene-	7.85	79	132607	47.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	94.46%
47) 2-Hexanone-d5	8.31	63	335560	108.71	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	108.71%
57) 1,1,2,2-Tetrachloroethane-	10.43	84	418670	50.09	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	100.18%
64) 1,2-Dichlorobenzene-d4	11.86	152	275955	49.72	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.44%

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU042319\
Data File : VU031449.D
Acq On : 23 Apr 2019 19:52
Operator : JC/SP
Sample : VU0423WBL03
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK43

Quant Time: Apr 24 08:47:10 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042319WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 24 08:41:52 2019
Response via : Initial Calibration

