

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042319\
 Data File : VU031451.D
 Acq On : 23 Apr 2019 20:39
 Operator : JC/SP
 Sample : K2477-21
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042319WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.180	23	28	35	rVB2	19804	18474	0.66%	0.088%
2	1.396	87	95	107	rVB	390690	419429	15.10%	2.007%
3	1.679	175	183	198	rBV	313026	390409	14.05%	1.868%
4	2.267	355	366	380	rVB	673324	1020912	36.74%	4.884%
5	2.469	425	429	431	rBV3	1344	1092	0.04%	0.005%
6	2.518	440	444	449	rBV4	1083	1033	0.04%	0.005%
7	2.701	492	501	513	rVB9	3173	6205	0.22%	0.030%
8	2.826	537	540	542	rBV2	1019	659	0.02%	0.003%
9	2.859	547	550	557	rVB4	888	896	0.03%	0.004%
10	2.923	566	570	574	rBV2	732	636	0.02%	0.003%
11	2.974	579	586	589	rBV3	1526	1609	0.06%	0.008%
12	3.090	616	622	623	rBV2	832	750	0.03%	0.004%
13	3.113	626	629	633	rVB3	884	630	0.02%	0.003%
14	3.235	663	667	671	rBV3	1041	882	0.03%	0.004%
15	3.460	732	737	738	rBV3	891	599	0.02%	0.003%
16	3.701	808	812	815	rBV2	833	695	0.03%	0.003%
17	3.878	861	867	874	rBV3	1210	1492	0.05%	0.007%
18	3.965	891	894	898	rVB3	803	608	0.02%	0.003%
19	3.987	898	901	903	rBV2	867	620	0.02%	0.003%
20	4.029	911	914	917	rVB	991	651	0.02%	0.003%
21	4.048	917	920	923	rBV3	868	724	0.03%	0.003%
22	4.186	950	963	1012	rBV2	234216	740463	26.65%	3.543%
23	4.643	1088	1105	1133	rVV	431544	1036807	37.31%	4.960%
24	4.846	1165	1168	1172	rBV3	954	841	0.03%	0.004%
25	4.871	1172	1176	1179	rBV6	1777	1782	0.06%	0.009%
26	4.971	1201	1207	1208	rBV5	1105	1061	0.04%	0.005%
27	5.045	1227	1230	1233	rVB3	999	677	0.02%	0.003%
28	5.177	1269	1271	1276	rVB4	1040	862	0.03%	0.004%
29	5.219	1280	1284	1286	rBV3	899	668	0.02%	0.003%
30	5.235	1286	1289	1295	rVB4	1236	1191	0.04%	0.006%
31	5.334	1295	1320	1359	rBV2	935207	2778560	100.00%	13.293%
32	5.582	1394	1397	1399	rBV3	1214	607	0.02%	0.003%
33	5.620	1406	1409	1410	rBV3	1050	704	0.03%	0.003%
34	5.778	1456	1458	1463	rVB4	1143	790	0.03%	0.004%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042319\
 Data File : VU031451.D
 Acq On : 23 Apr 2019 20:39
 Operator : JC/SP
 Sample : K2477-21
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042319WMA.M
 Title : VOC Analysis

35	5.881	1477	1490	1523	rBV	816138	1671846	60.17%	7.998%
36	6.180	1573	1583	1593	rBV8	12656	25323	0.91%	0.121%
37	6.328	1614	1629	1666	rBV	590059	1240994	44.66%	5.937%
38	6.662	1727	1733	1739	rBV7	1215	1714	0.06%	0.008%
39	6.714	1746	1749	1752	rBV2	892	692	0.02%	0.003%
40	6.752	1755	1761	1763	rVV4	828	786	0.03%	0.004%
41	6.800	1773	1776	1785	rVB4	1402	1257	0.05%	0.006%
42	6.878	1795	1800	1804	rBV3	797	621	0.02%	0.003%
43	6.910	1807	1810	1814	rVB2	991	609	0.02%	0.003%
44	6.952	1819	1823	1825	rBV	1937	1536	0.06%	0.007%
45	6.974	1828	1830	1833	rVB2	1398	792	0.03%	0.004%
46	7.225	1896	1908	1937	rBV	319401	616813	22.20%	2.951%
47	7.563	1999	2013	2043	rBV	1166728	2174412	78.26%	10.403%
48	7.849	2091	2102	2131	rBV	210390	399090	14.36%	1.909%
49	8.051	2162	2165	2170	rBV6	1012	880	0.03%	0.004%
50	8.128	2186	2189	2193	rBV4	779	735	0.03%	0.004%
51	8.218	2213	2217	2218	rBV	1096	705	0.03%	0.003%
52	8.312	2232	2246	2274	rBV	868036	1626077	58.52%	7.779%
53	8.598	2332	2335	2338	rBV3	1298	692	0.02%	0.003%
54	8.688	2361	2363	2368	rVB4	881	597	0.02%	0.003%
55	8.749	2378	2382	2386	rBV5	1073	1133	0.04%	0.005%
56	9.087	2473	2487	2531	rBV	1144377	1967564	70.81%	9.413%
57	9.379	2575	2578	2579	rBV2	1093	708	0.03%	0.003%
58	9.398	2582	2584	2589	rVB5	2117	1520	0.05%	0.007%
59	9.456	2599	2602	2604	rBV5	1414	879	0.03%	0.004%
60	9.514	2617	2620	2626	rVB6	839	650	0.02%	0.003%
61	9.656	2662	2664	2668	rVB2	1394	736	0.03%	0.004%
62	9.678	2668	2671	2677	rBV4	834	876	0.03%	0.004%
63	9.775	2697	2701	2702	rBV2	1370	765	0.03%	0.004%
64	9.903	2737	2741	2743	rBV3	1163	977	0.04%	0.005%
65	10.109	2801	2805	2808	rBV3	1003	792	0.03%	0.004%
66	10.167	2817	2823	2826	rBV4	1642	1891	0.07%	0.009%
67	10.202	2830	2834	2837	rVV2	805	713	0.03%	0.003%
68	10.247	2843	2848	2853	rVB5	1307	1257	0.05%	0.006%
69	10.279	2854	2858	2861	rBV	880	766	0.03%	0.004%
70	10.427	2891	2904	2926	rBV	796319	1300337	46.80%	6.221%
71	10.627	2964	2966	2971	rVB2	993	671	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042319\
 Data File : VU031451.D
 Acq On : 23 Apr 2019 20:39
 Operator : JC/SP
 Sample : K2477-21
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK01

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042319WMA.M
 Title : VOC Analysis

72	10.656	2971	2975	2980	rBV4	863	893	0.03%	0.004%
73	10.704	2986	2990	2993	rBV3	1251	942	0.03%	0.005%
74	10.877	3042	3044	3052	rVB5	968	1197	0.04%	0.006%
75	10.916	3052	3056	3058	rBV2	820	625	0.02%	0.003%
76	11.041	3091	3095	3098	rBV2	1056	881	0.03%	0.004%
77	11.132	3121	3123	3125	rBV2	1015	609	0.02%	0.003%
78	11.148	3126	3128	3131	rVV3	849	641	0.02%	0.003%
79	11.228	3151	3153	3160	rVB5	1257	1311	0.05%	0.006%
80	11.273	3164	3167	3174	rBV3	1294	1291	0.05%	0.006%
81	11.402	3204	3207	3211	rBV2	921	978	0.04%	0.005%
82	11.482	3219	3232	3262	rBV	1024691	1666302	59.97%	7.972%
83	11.858	3336	3349	3373	rBV	1024958	1706758	61.43%	8.165%
84	12.096	3420	3423	3426	rVB3	1450	925	0.03%	0.004%
85	12.135	3431	3435	3437	rBV3	1508	1194	0.04%	0.006%
86	12.376	3506	3510	3511	rBV2	1098	799	0.03%	0.004%
87	12.447	3529	3532	3535	rBV3	914	677	0.02%	0.003%
88	12.752	3624	3627	3629	rBV2	967	766	0.03%	0.004%
89	12.816	3644	3647	3649	rBV3	1243	764	0.03%	0.004%
90	12.832	3649	3652	3655	rVB2	1359	733	0.03%	0.004%
91	12.855	3655	3659	3664	rBV5	1217	1199	0.04%	0.006%
92	13.202	3765	3767	3770	rVV	1074	771	0.03%	0.004%
93	13.228	3773	3775	3778	rVV3	1487	897	0.03%	0.004%
94	13.376	3817	3821	3824	rBV3	790	672	0.02%	0.003%
95	13.980	4006	4009	4015	rVB3	1446	1212	0.04%	0.006%
96	14.009	4015	4018	4020	rBV2	1244	749	0.03%	0.004%
97	14.093	4041	4044	4047	rBV2	906	823	0.03%	0.004%
98	14.260	4093	4096	4100	rBV4	1148	981	0.04%	0.005%
99	14.813	4265	4268	4270	rBV3	1401	873	0.03%	0.004%
100	14.903	4290	4296	4311	rBV3	10043	23228	0.84%	0.111%

Sum of corrected areas: 20902115

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU042319\
Data File : VU031451.D
Acq On : 23 Apr 2019 20:39
Operator : JC/SP
Sample : K2477-21
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042319WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU042319\
Data File : VU031451.D
Acq On : 23 Apr 2019 20:39
Operator : JC/SP
Sample : K2477-21
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK01

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042319WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc