

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042321\
 Data File : VU043287.D
 Acq On : 23 Apr 2021 13:32
 Operator : SY/MD
 Sample : VU0423WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK137

Quant Time: Apr 24 06:31:31 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR041521WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Apr 24 06:31:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.256	114	108947	5.00	ug/L	# 0.00
28) Chlorobenzene-d5	9.423	117	107921	5.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.819	152	49378	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.601	65	27218	4.91	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.20%
7) Chloroethane-d5	1.919	69	23896	4.58	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.60%
11) 1,1-Dichloroethene-d2	2.575	65	17907	5.59	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	111.80%
20) 2-Butanone-d5	4.665	46	149351	61.46	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	122.92%
24) Chloroform-d	5.073	84	73527	5.22	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.40%
26) 1,2-Dichloroethane-d4	5.713	65	48456	5.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.80%
32) Benzene-d6	5.735	84	133663	5.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.40%
36) 1,2-Dichloropropane-d6	6.700	67	44711	5.37	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.40%
41) Toluene-d8	7.906	98	114083	4.37	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.40%
43) trans-1,3-Dichloroprop...	8.189	79	16956	4.61	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.20%
46) 2-Hexanone-d5	8.645	63	90538	49.33	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.66%
56) 1,1,2,2-Tetrachloroeth...	10.764	84	37699	5.14	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	102.80%
66) 1,2-Dichlorobenzene-d4	12.201	152	45070	5.32	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.40%
Target Compounds						
48) 2-Hexanone	8.694	43	7521	1.41	ug/L	# 75

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU042321\
Data File : VU043287.D
Acq On : 23 Apr 2021 13:32
Operator : SY/MD
Sample : VU0423WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK137

Quant Time: Apr 24 06:31:31 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR041521WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Apr 24 06:31:00 2021
Response via : Initial Calibration

